



---

## Uploaded to VFC Website

▶▶▶ March 2013 ◀◀◀

---

This Document has been provided to you courtesy of Veterans-For-Change!

Feel free to pass to any veteran who might be able to use this information!

For thousands more files like this and hundreds of links to useful information, and hundreds of "Frequently Asked Questions, please go to:

[Veterans-For-Change](http://www.veteransforchange.org)

---

*Veterans-For-Change is a 501(c)(3) Non-Profit Corporation  
Tax ID #27-3820181*

***If Veteran's don't help Veteran's, who will?***

We appreciate all donations to continue to provide information and services to Veterans and their families.

[https://www.paypal.com/cgi-bin/webscr?cmd=\\_s-xclick&hosted\\_button\\_id=WGT2M5UTB9A78](https://www.paypal.com/cgi-bin/webscr?cmd=_s-xclick&hosted_button_id=WGT2M5UTB9A78)

---

**Note:**

VFC is not liable for source information in this document, it is merely provided as a courtesy to our members.



## Common Misconceptions about Suicide

**FALSE: People who talk about suicide won't really do it.**

Almost everyone who commits or attempts suicide has given some clue or warning. Do not ignore suicide threats. Statements like "you'll be sorry when I'm dead," "I can't see any way out," — no matter how casually or jokingly said may indicate serious suicidal feelings.

**FALSE: Anyone who tries to kill him/herself must be crazy.**

Most suicidal people are not psychotic or insane. They must be upset, grief-stricken, depressed or despairing, but extreme distress and emotional pain are not necessarily signs of mental illness.

**FALSE: If a person is determined to kill him/herself, nothing is going to stop him/her.**

Even the most severely depressed person has mixed feelings about death, wavering until the very last moment between wanting to live and wanting to die. Most suicidal people do not want death; they want the pain to stop. The impulse to end it all, however overpowering, does not last forever.

**FALSE: People who commit suicide are people who were unwilling to seek help .**

Studies of suicide victims have shown that more than half had sought medical help within six months before their deaths.

**FALSE: Talking about suicide may give someone the idea.**

You don't give a suicidal person morbid ideas by talking about suicide. The opposite is true — bringing up the subject of suicide and discussing it openly is one of the most helpful things you can do.