



Uploaded to VFC Website

~ October 2012 ~

This Document has been provided to you courtesy of Veterans-For-Change!

Feel free to pass to any veteran who might be able to use this information!

For thousands more files like this and hundreds of links to useful information, and hundreds of "Frequently Asked Questions, please go to:

[Veterans-For-Change](#)

*Veterans-For-Change is a 501(c)(3) Non-Profit Corporation
Tax ID #27-3820181*

If Veteran's don't help Veteran's, who will?

We appreciate all donations to continue to provide information and services to Veterans and their families.

https://www.paypal.com/cgi-bin/webscr?cmd=_s-xclick&hosted_button_id=WGT2M5UTB9A78

Note:

VFC is not liable for source information in this document, it is merely provided as a courtesy to our members.

Item ID Number 03104 ☐ **Not Scanned**

Author

Corporate Author

Report/Article Title Bibliography: Toxicology of Phenoxyherbicides and TCDD in Animals

Journal/Book Title

Year 0000

Month/Day

Color ☐

Number of Images 63

Description Notes Draft copy titled "Toxicology of 2,4 -D, 2,4,5 -T and TCDD"

1. Advisory Committee on 2,4,5-T. 1971. Report of the Advisory Committee on 2,4,5-T to the Administrator of the Environmental Protection Agency. 76 p. Weed Abstr. 21 (5):417, 1972.
2. Aitio, A. and M. G. Parkki. 1978. Organ specific induction of drug metabolizing enzymes by 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat. Toxicol. Appl. Pharmacol. 44:107-114.
3. Albro, P. W., J. T. Corbett, M. Harris and L. D. Lawson. 1978. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on lipid profiles in tissue of the Fischer rat. Chem. Biol. Interactions 23:315-330.
4. Allen, J. R., S. L. Schantz and D. A. Barsotti. 1979. Toxicological effects produced in non-human primates chronically exposed to fifty parts per trillion 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Toxicol. Appl. Pharmacol. 48(1): 180.
5. Allen, J. R., D. A. Barsotti, I. K. Lambrecht and J. P. VanMiller. 1979. Reproductive effects of halogenated aromatic hydrocarbons on non-human primates. Ann. N. Y. Acad. Sci. 320:419-425.
6. Allen, J. R., D. A. Barsotti, J. P. VanMiller, L. J. Abrahamson and J. J. Lalich. 1977. Morphological changes in monkeys consuming a diet containing low levels of 2,3,7,8-tetrachlorodibenzo-p-dioxin. Food Cosmet. Toxicol. 15:401-410.
7. Allen, J. R., J. P. VanMiller and D. H. Norback. 1975. Tissue distribution, excretion and biological effects of C14C tetrachlorodibenzo-p-dioxin in rats. Food Cosmet. Toxicol. 13:501-505.
8. Anaizi, N. H. and J. J. Cohen. 1978. The effects of 2,3,7,9-tetrachlorodibenzo-p-dioxin on the renal tubular secretion of phenolsulfonphthalein. J. Pharmacol. Exp. Ther. 207(3):748-755.
9. Andersen, K. J., E. G. Leighty and M. T. Takahashi. 1972. Evaluation of herbicides for possible mutagenic properties. J. Agric. Food Chem. 20(3): 649-656.
10. Baars, A. J., M. Jansen and D. D. Breimer. 1978. The influence of phenobarbital, 3-methylcholanthrene and 2,3,7,8-tetrachlorodibenzo-p-dioxin on glutathione S-transferase activity of rat liver cytosol. Biochem. Pharmacol. 27:2487-2494.
11. Bage, G., E. Cekanoug and K. S. Larrsow. 1973. Teratogenic and embryotoxic effects of the herbicides di- and trichlorophenoxy-acetic acids (2,4-D and 2,4,5-T). Acta. Pharmacol. Toxicol. 32(6):408-416.
12. Baker, D. L., F. K. Ramsey and E. P. Sylvester. 1953. Suspected poisoning of dogs from eating grasses treated with 2,4-D. North Am. Vet. 34:194.

13. Barsotti, D. A., L. J. Abrahamson, and J. R. Allen. 1979. Hormonal alterations in female rhesus monkeys fed a diet containing 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Bull. Environm. Contam. Toxicol.* 21:463-469.
14. Bartleson, F. D., D. D. Harrison and J. D. Morgan. 1975. Field studies of wildlife exposed to TCDD contaminated soils. AFATL-TR-75-49. Armament Laboratory, Eglin AFB FL. 58 p.
15. Beatty, P. W., W. K. Vaughn and R. A. Neal. 1978. Effect of alteration of rat-hepatic mixed function oxidase (MFO) activity on the toxicity 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). *Toxicol. Appl. Pharmacol.* 45:513-519.
16. Beatty, P. W., M. A. Holscher and R. A. Neal. 1976. Toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin in larval and adult forms of Rang catesloeiang. *Bull. Environ. Contam. Toxicol.* 16(5):578-581.
17. Beatty, P. W. and R. A. Neal. 1976. Induction of DT-diaphorase by 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). *Biochem. Biophys. Res. Commun.* 68(1): 197-204.
18. Beatty, P. W., K. J. Lemback, M. A. Holscher and R. A. Neal. 1975. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on mammalian cells in tissue culture. *Toxicol. Appl. Pharmacol.* 31:309-312.
19. Becker, D. 1973. The effects of folate overdose and of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on kidney- and liver respectively of rat and mouse embryos. *Teratology* 8:215.
20. Berndt, W. O. and F. Koschier. 1973. In vitro uptake of 2,4-dichlorophenoxyacetic acid (2,4-D) and 2,4,5-trichlorophenoxyacetic acid (2,4,5-T) by renal cortical tissue of rabbits and rats. *Toxicol. Appl. Pharmacol.* 26:559-570.
21. Berry, D. L., T. J. Siaga, J. Digiovanni, and M. R. Juchau. 1979. Studies with chlorinated dibenzo-p-dioxins, polybrominated biphenyls and polychlorinated biphenyls in a two-stage system of mouse skin tumorigenesis potent anticarcinogenic effects. pp. 405-414. IN *Health Effects of Halogenated Aromatic Hydrocarbons*. W. J. Nicholson & J. A. Moore (Eds.), Vol 320. The New York Academy of Science.
22. Berry, D. L., P. K. Zacharian, M. J. Namkung, and M. R. Juchau. 1976. Transplacental induction of carcinogen hydroxylating systems with 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Toxicol. Appl. Pharmacol.* 36(3):569-584.
23. Biczo, G., M. Kertesz, I. Lukovits, I. Moyer and S. Suhai. 1976. Quantum-chemical examination of the carcinogenic activity of TCDD. IN *The Development of a Pesticide as a Complex Scientific Task*. L. Banki (Ed.), Budapest, Hungary. *Medicina*. P. 257-261.
24. Binns, W. and L. Balls. 1971. Non-tetratogenic effects of 2,4,5-T propylene glycol butyl ester herbicides in sheepp. *Teratology* 4:245.

25. Binns, W. and A. E. Johnson. 1970. Chronic and teratogenic effects of 2,4-D (2,4-dichlorophenoxyacetic acid) and atrazine (2-chloro 4-ethyl-amino-6-isopropylamino-S-triazine) to sheat. *Weed Abstr.* 21(5):417, 1972.
26. Bionetics Research Laboratories, Inc. 1968. Evaluation of carcinogenic teratogenic and mutagenic activities of selected pesticides and industrial chemicals. Vol. I, Carcinogenic Study. Submitted under Contracts PH 43-64-57 and PH 43-67-735 with the National Cancer Institute. Document Nr. PB-223-159.
27. Bionetics Research Laboratories, Inc. 1968. Evaluation of carcinogenic, teratogenic and mutagenic activities of selected pesticides and industrial chemicals. Vol. II. Teratogenic Study in Mice and Rats. Submitted under Contracts PH 43-64-57 and PH 43-67-735 with the National Cancer Institute. Available from National Technical Information Service, Document Nr. PB-223-160.
28. Bionetics Research Laboratories, Inc. 1969. Evaluation of the carcinogenic, teratogenic and mutagenic activity of selected pesticides and industrial chemicals. Vol. III. Evaluation of the Teratogenic Activity of Selected Pesticides and Industrial Chemicals in Mice and Rats. Submitted under Contracts PH 43-64--57 and PH 43-67-735 with the National Cancer Institute.
29. Bjorklund, W. E. and K. Erne. 1966. Toxicological studies of phenoxyacetic herbicides in animals. *Acta. Vet. Scand.* 7:364-390.
30. Blumberg, W. E. 1978. Enzymic modification of environmental intoxicant: the role of cytochrome P-450. *Quart. Rev. Biophysics* 11(4):481-542.
31. Bodai, J., L. Tamas and A. Vehg. 1974. Reproductive consequences of exposure of cows to 2,4-D herbicide. *Magy. Allatoru. Lapja.* 29*5):319-322.
32. Bohme, C. and W. Grunow. 1974. Uber den stoffwechsel von 4-(2,4,5-tri-chlorophenoxy)-buttersa urebei. *Ratten. Arch. Toxicol.* 32:227-231 (German)
33. Boobis, A. R., Daniel, W., Nebert, and O. Pelkonen. 1979. Effects of microsomal enzyme onoucers in vivo and inhibitors in vitro on the covalent binding of benzo[a] pyrene metabolites to DNA catalyzed by liver microsomes from genetically responsive and nonresponsive mice. *Biochem. Pharmacol.* 28: 111-121.
34. Bovey, R. W. and J. D. Diaz-Colon. 1977. Selected bibliography of the phenoxy herbicides. II. The Substituted Dibenzo-p-dioxins. MP-1323. The Texas Agricultural Experiment Station, Texas A&M University, College Station, TX. 57 P.
35. Bradlaw, J. A. and Casterline, J. L. 1979. Induction of enzyme activity in cell culture: a rapid screen for detection of planer polychlorinated organic compounds. *J. Assoc. Off. Anal. Chem.* 62(4):904-916, 1979.
36. Bradlaw, J. A., L. H. Garthoff, D. M. Graff and N. E. Hurley. 1975. Detection of chlorinated dioxins induction of arylhydrocarbon hydroxylase activity in rat hepatoma cell culture. *Toxicol. Appl. Pharmacol.* 33(1):166.

37. Bucher, N. L. R. 1946. Effects of 2,4-dichlorophenoxyacetic acid on experimental animals. *Proc. Soc. Exp. Biol. Med.* 63:204-205.
38. Buselmaier, W., G. Rohrborn and P. Propping. 1973. Comparative investigations on the mutagenicity of pesticides in mammalian test systems. *Mutat. Res.* 21:25-26.
39. Buu-Hoi, N. P., P. H. Chanh, G. Sesque, M. C. Azum-Gelade and G. Saint-Ruf. 1972. Organs as targets of dioxin (2,3,7,8-tetrachlorodibenzo-p-dioxin) intoxication. *Naturwissenschaften* 59:174-175. (German)
40. Buu-Hoi, N. P., D. P. Hien, G. Saint-Ruff and J. Servoin-Sidoine. 1971. Tetrachloridibenzodioxin-intimations of carcinogenicity. *Food Cosmet. Toxicol.* 9:909.
41. Carlstedt-Duke, J. M. B., Elfstrom, G., Hogberg, B. and Gustafsson, J. 1979. Ontogeny of the rat hepatic receptor for 2,3,7,8-tetrachlorodibenzo-p-dioxin and its endocrine independence. *Cancer Res.* 39:4653-4656.
42. Carlstedt-Duke, J. M. B. 1979. Tissue distribution of the receptor for 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat. *Cancer Research* 39(8): 3172-3176.
43. Case, A. A. 1976. Tetrachlorodibenzodioxin (TCDD)-clinical aspects of poisoning. *Clin. Toxicol.* 9(6):963-967.
44. Carter, C. D., R. D. Kimbrough, J. A. Liddle, R. E. Cline, M. M. Zack, Jr., W. F. Barthel, R. E. Koehler and P. E. Phillips. 1975. Tetrachlorodibenzo-p-dioxin:an accidental poisoning episode in horse arenas. *Science* 188: 738-740.
45. Chang, H. C., J. W. Rip and J. H. Cherry. 1974. Effects of phenoxyacetic acid on rat liver tissues. *J. Agric. Food Chem.* 22(1):62-65.
46. Chhabra, R. S., J. M. Tredger, R. M. Philpot and J. R. Fouts. 1974. Selection of inducers:an important factor in characterizing genetic differences to induction of aryl hydrocarbon hydroxylase in strains of mice. *Life Sci.* 15(1):123-130.
47. Clark, D. E., J. S. Palmer, R. D. Radeleff, H. R. Crookshank and F. M. Farr. 1975. Residues of chlorophenoxy acid herbicides and their phenolic metabolites in tissues of sheep and cattle. *J. Agric. Food Chem.* 23(3):573-578.
48. Clark, D. E. and J. S. Palmer. 1971. Residual aspects of 2,4,5-T and an ester in sheep and cattle with observations on concomitant toxicological effects. *J. Agric. Food Chem.* 19(4):761-764.
49. Claus, C. 1977. Effect of 2,4-D on survival and reproduction of *Daphnia magna* strauss. *Weed Abstr.* 26(9):302.

50. Cohen, G. M., W. M. Bracken, R. P. Lyer, D. L. Berry, J. K. Selkirk and T. J. Slage. 1979. Anticarcinogenic effects of 2,3,7,8-tetrachloro-dibenzo-p-dioxin on benzo(a)pyrene and 7,12-dimethylbenz(a)anthracene tumor initiation and its relationship to DNA binding. *Cancer Res.* 39:4027-4033.
51. Collins, T. F. X. and C. H. Williams. 1971. Teratogenic studies with 2,4,5- and 2,4-D in the hamster. *Bull. Environ. Contam. Toxicol.* 6:559-567.
52. Conaway, C. C. and F. Matsumura. 1975. Alteration of cellular utilization of thymidine by TCDD (2,3,7,8-tetrachlorodibenzo-p-dioxin). *Bull. Environ. Contam. Toxicol.* 13(1):52-56.
53. Coulston, F. 1970. Working Paper:2,4,5-T. Institute of Experimental Pathology and Toxicology. Albany Medical College, Albany, NY. 26P.
54. Courtney, D. K. 1979. Postpartum CPK and LDH cardia and serum isozymes after 2,4,5-T, carbaryl or aniline treatment. *Toxicol. and Appl. Pharmacol.* 48(1):A139.
55. Courtney, D. K. 1977. Prenatal effects of herbicides:evaluation by the prenatal development index. *Arch. Environ. Contam. Toxicol.* 6:33-46.
56. Courtney, D. K. 1976. Mouse teratology studies with chlorodibenzo-p-dioxins. *Bull. Environ. Contam. Toxicol.* 16(6):674-681.
57. Courtney, D. K. and J. A. Moore. 1971. Teratology studies with 2,4,5-trichlorophenoxyacetic acid and 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Toxicol. Appl. Pharmacol.* 20:396-403.
58. Courtney, D. K., D. W. Gaylor, M. D. Hogan, H. L. Falk, R. R. Bates and I. Mitchell. 1970. Teratogenic evaluation of 2,4,5-T. *Science* 168:864-866.
59. Cranmer, M. 1978. Toxicology of families of chemicals used as herbicides in forestry. Symposium USDA/EPA. The Use of Herbicides in Forestry. February 21-22, 1978. Arlington, VA.
60. Creso, E., V. DeMarino, L. Bonatelli and G. Pagnini. 1978. Effetti neurop-sicofarmacologic:della TCDD. *Boll. Soc. It. Biol. Sper.* LIV:1592-1596. (Italian)
61. Cunningham, H. M. and D. T. Wm. 1972. Effects of tetrachlorodibenzo-p-dioxin on growth rate and the synthesis of lipids and proteins in rats. *Bull. Environ. Contam. Toxicol.* 7(1):45-51.
62. Dalgaard-Mikkelsen, S. V. and Poulsen. 1962. Toxicology of herbicides. *Pharmacol. Rev.* 14:225-250.
63. Danon, J. M., G. Karpati, and S. Carpenter. 1979. Subacute skeletal myopathy induced by 2,4-dichlorophenoxyacetate in rats and guinea pigs. *Muscle and Nerve.* Mar/Apr:89-102, 1978.

65. Darving, L. and K. Hultgren. 1977. Cytogenetic effects on in vivo bone marrow cells of mus muscellus induced by a commercial 2,4,5-T ester product. *Hereditas* 85:123-134.
66. Dencker, L. 1976. The herbicide 2,4,5-T early placental barrier and accelerated fetal uptake with advancing gestation. *Acta. Pharmacol. Toxicol.* 39(1):5-8, 59-72.
67. DeReuck, J., W. DeCoster, J. Willens and H. VanderEecken. 1979. Influence of 2,4-dichlorophenoxyacetate and of dantrolene sodium on the target phenomenon in tenotomized rat gastrocnemius muscle. *Acta. Neuropathol.* 46:167-168.
68. Desi, I., J. Sos, J. Olasz and V. Markus. 1962. Nervous system effects of a chemical herbicide. *Arch. Environ. Health* 4:101-108.
69. Diaz-Colon, J. D. and R. W. Bovey. 1977. Selected bibliography of the phenoxy herbicides. III. Toxicological Studies in Animals. MP-1343. The Texas Agricultural Experiment Station, College Station, Texas. 105P.
70. DiGiovanni, J., D. L. Berry, T. J. Slaga, A. H. Jones and M. R. Juchau. 1979. Effects of pretreatment with 2,3,7,8-tetrachlorodibenzo-p-dioxin on the capacity of hepatic and extrahepatic mouse tissues to convert procarcinogens to mutagens for salmonella typhimurium autotrophs. *Toxicol. Appl. Pharmacol.* 50:229-239.
71. DiGiovanni, J., D. L. Berry, M. R. Juchau and T. J. Slaga. 1979. 2,3,7,8-tetrachlorodibenzo-p-dioxin potent anticarcinogenic activity in CD-1 mice. *Biochem. Biophys. Res. Commun.* 86(3):577-584.
72. DiGiovanni, J., A. Viaje, D. L. Berry, T. J. Slaga and M. R. Jucay. 1977. Tumor initiating ability of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and arochlor 1254 in the two-stage system of mouse skin carcinogenesis. *Bull. Environ. Contam. Toxicol.* 18(5):552-557.
73. Dougherty, W. H., M. Herbst, and F. Coulston. 1975. The non-teratogenicity of 2,4,5-trichlorophenoxyacetic acid in the rhesus monkey (macaca mulatta). *Bull. Environ. Contam. Toxicol.* 13(4):477-482.
74. Drill, V. A. and T. Hiratzka. 1953. Toxicity of 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid: a report on their acute and chronic toxicity in dogs. *Arch. Ind. Hyg. Occup. Med.* 7:61-67.
75. Ebror, M. and K. D. Courtney. 1976. Difference in 2,4,5-T distribution in fetal mice and guinea pigs. *Toxicol. Appl. Pharmacol.* 37:144
76. Efimenko, L. P. 1974. Materials for assessing the gonadotropic and mutagenic action of the herbicide 2,4,5-T butylester. *Gig. Tr. Prof. Zabol.* 18(4): 24-27 (Russian)
77. Elo, H. and P. Ylitolo. 1977. Substantial increase in the levels of chlorophenoxyacetic acids in the CNS of rats as a result of severe intoxication. *Acta. Pharmacol. Toxicol.* 41:289-84.

78. Emerson, J. L., D. J. Thompson, R. J. Strebing, C. G. Gerbig and V. B. Robinson. 1971. Teratogenic studies on 2,4,5-trichlorophenoxyacetic acid in the rats and rabbit. *Food Cosmet. Toxicol.* 9:395-404.
79. Emerson, J. L., D. L. Thompson, C. G. Gerbig and V. B. Robinson. 1970. Teratogenic study of 2,4,5-trichlorophenoxyacetic acid in the rat. *Toxicol. Appl. Pharmacol.* 17:317.
80. Epstein, S. S. 1973. Teratological hazards due to phenoxyherbicides and dioxin contaminants. IN *Pollution: Engineering and Scientific Solutions*. W. S. Barrekette (Ed.), Plenum Press, New York, NY. P 708-729.
81. Epstein, S. S., E. Arnold, J. Andrea, W. Bass and Y. Bishop. 1972. Detection of chemical mutagens by the dominant lethal assay in the mouse. *Toxicol. Appl. Pharmacol.* 23:288-325.
82. Epstein, S. S. 1972. Environmental Pathology: A Review. *Am. J. Pathol.* 66(2):352-373.
83. Erne, K. 1966. Distribution and elimination of chlorinated phenoxyacetic acids in animals. *Acta Vet. Scand.* 7:240-256.
84. Erne, K. 1966. Studies on the animal metabolism of phenoxyacetic herbicides. *Acta Vet. Scand.* 7:264-271.
85. Faith, R. E. and M. I. Luster. 1979. Investigations on the effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on parameters of various immune functions. P 564-571 IN *Health Effects of Halogenated Aromatic Hydrocarbons*. Vol. 320. The New York Academy of Science.
86. Fanelli, R., M. G. Castelli, G. P. Martelli, A. Nosedà and S. Garattini. 1980. Presence of 2,3,7,8-tetrachlorodibenzo-p-dioxin in wildlife living near Seveso, Italy: A preliminary study. *Bull. Environm. Contam. Toxicol.* 24:460-462.
87. Fang, S. C., E. Fallin, M. L. Montgomery and V. H. Freed. 1973. The metabolism and distribution of 2,4,5-trichlorophenoxyacetic acid in female rats. *Toxicol. Appl. Pharmacol.* 24:555-563.
88. Fedorova, L. M. and R. S. Belova. 1974. Incorporation of 2,4-dichlorophenoxyacetic acid into the organs of animals: paths and dynamics of its excretion. *Gig. Sanit.* 2:105-107.
89. Felton, J. S. and D. W. Nebert. 1975. Mutagenesis of certain activated carcinogens in vitro associated with genetically mediated increases in mono oxygenase activity and cytochrome P₄₅₀. *J. Biol. Chem.* 250(17): 6769-6778.
90. Florsheim, W. H. and S. M. Velcoff. 1962. Some effects of 2,4-dichlorophenoxyacetic acid on thyroid function in the rat: effects on iodine accumulation. *Endocrinology* 71:1-6.

91. Fowler, B. A., G. E. R. Hook and G. W. Lucier. 1975. Tetrachloro-dibenzo-p-dioxin induction of renal microsomal enzyme systems. *Toxicol. Appl. Pharmacol.* 33(1):176-177.
92. Fox, Jeffrey L. 1979. Research solving body's detoxifying system. P 450 enzymes rival the immune system of the body in complexity and may explain how toxins such as dioxin exert their effects. *C & EN.* June 4, 1979. PP 24-26.
93. Fries, G. F. and G. S. Marrow. 1975. Retention and excretion of 2,3,7,8-tetrachlorodibenzo-p-dioxin by rats. *J. Agr. Food Chem.* 23:265-269.
94. Froberg, H., J. Gleich and A. Hofmann. 1975. Investigation on the embryotoxic effect of 2,4,5-T in NMRI mice. *Teratology.* 10(3):309.
95. Fujita, K., H. Fujita and Z. Funasaki. 1975. Cytogenetic studies of 2,4,5-T related substances. *Nippon Noson Igakki Zasshi (J. Jpn. Assoc. Rural Med.)* 24(3):432-433 (Japanese). *Pestic. Abstr.* 9(2):117, 1976.
96. Gale, T. F. and V. H. Ferm. 1973. Effects of the herbicide 2,4,5-T and pyrazon embryogenesis in the hamster. *Anat. Rec.* 175(2):503.
97. Garcia, J. D. and M. J. Rhodes. Residues of 2,4,5-T in the American coot (*Fulcia americana*). *Bull. Environ. Contam. Toxicol.* 23:231-235.
98. Gasiewicz, T. A. and R. A. Neal. 1979. 2,3,7,8-tetrachlorodibenzo-p-dioxin tissue distribution, excretion, and effects on clinical chemical parameters in guinea pigs. *Toxicol. Appl. Pharmacol.* 51:329-339.
99. Gasiewicz, T. A., M. A. Holscher, and R. A. Neal. 1979. The effect of total parenteral nutrition (TPN) on the toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat. *Fed. Proc. Fed. Am. Soc. Exp. Biol.* 38(3, Pt 1): 537.
100. Gasiewicz, T. A. and R. A. Neal. 1978. Tissue distribution and excretion of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and effects upon clinical chemical parameters in the guinea pig. *Fed. Proc.* 37(3):501.
101. Gehring, P. J., P. G. Watawabe, and G. E. Blau. 1976. Pharmacokinetic studies in evaluation of the toxicological and environmental hazards of chemicals. IN *Advances in Modern Toxicology, Vol. 1, Part 1: New Concepts in Safety Evaluation.* M. A. Mehlman, R. E. Shapiro and H. Blumenthal (Eds.), John Wiley & Sons, New York NY. P. 227-235.
102. Goldstein, J. A., P. Hickman, H. Bergman and J. G. Vos. 1973. Hepatic porphyria induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in the mouse. *Res. Commun. Chem. Path. Pharmacol.* 6:919-928.
103. Goldstein, H. E. and J. F. Long. 1958. Observations on domestic animals exposed to herbicide spray applications of 2,4-D, 2,4,5-T and dalapon. *Proc. North Cent. Weed Control Conf.* 15:28-29.

104. Grant, William F. 1979. The genotoxic effects of 2,4,5-T. *Mutat. Res.* 65(2):83-119.
105. Green, S., F. Moreland, and C. Shey. 1977. Cytogenetic effect of 2,3,7,8-tetrachlorodibenzo-p-dioxin on rat bone marrow cells. *FDA By-Lines* 7(6):292-294.
106. Green, S. and F. S. Moreland. 1975. Cytogenetic evaluation of several dioxins in the rat. *Toxicol. Appl. Pharmacol.* 33:161.
107. Greenlee, W. F. and A. Poland. 1979. Nuclear uptake of 2,3,7,8-tetrachlorodibenzo-p-dioxin in C57BL/6J and DBA/2J mice. *J. Biol. Chem.* 254(19):9814-9821.
108. Greig, J. B., D. M. Taylor and J. D. Jones. 1974. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on stimulated DNA synthesis in the liver and kidney of the rat. *Chem. Biol. Interact.* 8(1):31-39.
109. Greig, J. B., G. Jones, W. H. Butler and J. M. Barnes. 1973. Toxic effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Food Cosmet. Toxicol.* 11:585-595.
110. Greig, J. B. 1972. Effect of 2,3,7,8-tetrachlorodibenzo-1, 4-dioxin on drug metabolism in the rat. *Biochem. Pharmacol.* 21:3196-3198.
111. Grunow, W. and C. Bohme. 1974. Über den stoffwechsel von 2,4,5-T und 2,4-D bei Ratten und mausen. *Arch. Toxicol.* 32:217-225 (German)
112. Grunow, W., C. Bohme and B. Budczies. 1971. Renale Ausscheidung von 2,4,5-T bei Ratten. *Food Cosmet. Toxicol.* 9:667-670.
113. Guenthner, T. M., J. M. Fysh and D. W. Nebert. 1979. 2,3,7,8-tetrachlorodibenzo-p-dioxin covalent binding of reactive metabolic intermediates principally to protein in vitro. *Pharmacol.* 19(1):12-22.
114. Guenthner, T. M. and D. W. Nebert. 1978. Evidence in rat and mouse liver for temporal control of two forms of cytochrome P-450 inducible by 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Eur. J. Biochem.* 91:449-456.
115. Guiney, P. D., K. H. Yang, J. L. Seymour and R. E. Peterson. 1978. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on the distribution and biliary excretion of polychlorinated biphenyls in rats. *Toxicol. Appl. Pharmacol.* 45:403-414.
116. Guseva, E. G. 1956. Pharmacology of 2,4-D. *Formakol. Toksikol. Moscow* 19:41-44 (Russian) *Chem. Abstr.* 50:1720, 1956.
117. Gustafsson, J. and M. Ingelman Sundberg. 1979. Changes in steroid hormone metabolism in rat liver microsomes following administration of 2,3,7,8-tetrachlorodibenzo-p-dioxine (TCDD). *Biochem. Pharmacol.* 28(4):497-500.
118. Gutenmann, W. H., D. D. Hardee, R. F. Holland, and D. J. Lisk. 1963. Disappearance of 4-(2-dichlorophenoxybutyric) acid herbicide in the dairy cow. *J. Dairy Sci.* 46:991-992.

119. Gupta, B. N., J. G. Vos, J. A. Moore, J. G. Zinkl and B. C. Bullock. 1973. Pathologic effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin in laboratory animals. *Environ. Health Perspect.* 5:125-140.
120. Hansen, W. H., M. L. Quaife, R. T. Habermann and O. G. Fitzhugh. 1971. Chronic toxicity of 2,4-dichlorophenoxyacetic acid in rats and dogs. *Toxicol. Appl. Pharmacol.* 20:122-129.
121. Harris, M. W., J. A. Moore, J. G. Vos and B. N. Gupta. 1973. General biological effects of TCDD in laboratory animals. *Environ. Health Perspect.* 5:101-109.
122. Hart, E. R. and M. G. Valerio. 1972. Teratogenic effects of 2,4,5-T in mice. *Toxicol. Appl. Pharmacol.* 22(2):317.
123. Henig, R. M. 1980. Dioxin has a good side:TCDD-A useful tool in basic biology laboratories. *BioScience* 30(2):129-130.
124. Highman, B., T. B. Gaines and J. H. Schumacher. 1977. Retarded development of fetal renal alkaline phosphatase in mice given 2,4,5-trichlorophenoxyacetic acid. *J. Toxicol. Environ. Health* 2:1007-1018.
125. Highman, B., T. B. Gaines and H. J. Schumacher. 1976. Sequential histopathologic, hematologic and blood chemistry changes induced in mice by a technical and a purified preparation of 2,4,5-trichlorophenoxyacetic acid. *J. Toxicol. Environ. Health* 1(3):469-484.
126. Highman, B., T. B. Gaines, J. H. Schumacher and T. J. Haley. 1976. Strain differences in histopathologic hematologic and blood chemistry changes induced in mice by a technical and a purified preparation of 2,4,5-trichlorophenoxyacetic acid. *J. Toxicol. Environ. Health* 1(6):1041-1054.
127. Highman, B., T. B. Gaines and H. J. Schumacher. 1976. Renal alkaline phosphatase activity in fetal offspring of maternal mice given 2,4,5-trichlorophenoxyacetic acid. *Toxicol. Appl. Pharmacol.* 37:93-192.
128. Hill, E. V. and H. Carlisle. 1947. Toxicity of 2,4-dichlorophenoxyacetic acid for experimental animals. *J. Ind. Hyg. Toxicol.* 29(2):85-95.
129. Hook, J. B., K. M. McCormack and W. M. Kluwe. 1978. Renal effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin. P. 381-388 IN *Pentachlorophenol:Chemistry, Pharmacology and Environmental Toxicology*. K. R. Rao (Ed.), Plenum Press.
130. Hook, G. E. R., T. C. Orton, J. A. Moore, and G. W. Lucier. 1975. 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced changes in the hydroxylation of biphenyl by rat liver microsomes. *Biochem. Pharmacol.* 24(3):335-340.
131. Hook, G. E. R., J. K. Haseman and G. W. Lucier. 1975. Induction and suppression of hepatic and extrahepatic microsomal foreign-compound metabolizing enzyme systems by 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Chem. Biol. Interact.* 10:199-214.

132. Hook, J. B., M. D. Bailie, J. T. Johnson and P. J. Gehring. 1974. In vitro analysis of transport of 2,4,5-trichlorophenoxyacetic acid by rat and dog kidney. *Food Cosmet. Toxicol.* 12(2):209-218.
133. Huff, J. E. and J. S. Wassom. 1974. Hazardous contaminants: chlorinated dibenzodioxins and chlorinated dibenzofurans. P 175-197 IN *Environmental Chemicals-Human and Animal Health. Proceedings, 2nd Annual Conference held at Colorado State University, Ft Collins, CO. 25-29 Jul, 1974. Sponsored by Colorado State University, College of Veterinary Medicine and Biomedical Sciences, Institute of Rural and Environmental Development and Division of Pesticides Programs, Environmental Protection Agency. E. P. Savage (Ed.).*
134. Huff, J. E. and J. S. Wasson. 1974. Health hazards from chemical impurities: chlorinated dibenzodioxins and chlorinated dibenzofurans. *Int. J. Environ. Stud.* 6:13-17.
135. Hussain, S., L. Ehrenberg, G. Lofroth and T. Gejuall. 1972. Mutagenic effects of TCDD on bacterial systems. *Ambio.* 1:32-33.
136. Jackson, W. T. 1972. Regulation of mitosis. III. Cytological effects of 2,4,5-T and of dioxin contaminants in 2,4,5-T for mutations. *J. Cell. Sci.* 10:15-25. *Health Aspects Pestic.* 6(4):202, 1973.
137. Jenssen, D. and L. Renberg. 1976. Distribution and cytogenetic test of 2,4-D and 2,4,5-T phenoxyacetic acids in mouse blood tissues. *Chem. Biol. Interact.* 14:291-299.
138. Jones, K. G. and G. D. Sweeney. 1980. Dependence of the porphyrogenic effect of 2,3,7,8-tetrachlorodibenzo-p-dioxin upon inheritance of aryl hydrocarbon hydroxylase responsiveness. *Toxicol. Appl. Pharmacol.* 53:42-49.
139. Jones, K. G. and G. D. Sweeney. 1979. Iron deficiency prevents liver toxicity of 2,3,7,8-tetrachloro-rodibenzo-p-dioxin. *Fed. Proc. Fed. Am. Soc. Exp. Biol.* 38(3):536.
140. Jones, G. 1975. A histochemical study of the liver lesion induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin (dioxin) in rats. *J. Pathol.* 116:101-105.
141. Jones, G. and J. B. Greig. 1975. Pathological changes in the liver of mice given 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Experimentia* 31(11):1315-1317.
142. Jones, G. and W. H. Butler. 1974. A morphological study of the liver lesion induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in rats. *J. Pathol.* 112(2): 93-97.
143. Jones, E. L. and H. Kizek. 1962. A technique for testing acnegenic potency in rabbits, applied to the potent acnegen, 2,3,7,8-tetrachlorodibenzo-p-dioxin. *J. Invest. Dermatol.* 9:511-517.

144. Kay, J. H., R. J. Palazzolo and J. C. Calandra. 1965. Subacute dermal toxicity of 2,4-D. *Arch. Environ. Health* 11:648-651.
145. Khanna, S. and S. C. Fang. 1966. Metabolism of C¹⁴-labeled 2,4-dichlorophenoxyacetic acid in rats. *J. Agric. Food Chem* 14:500-503.
146. Khera, K. S. and J. A. Ruddick. 1973. Polychlorodibenzo-p-dioxins: perinatal effects and the dominant lethal test in Wistar rats. *Advan. Chem. Ser.* 120:70-84.
147. Khera, K. S. and W. P. McKinley. 1972. Pre- and postnatal studies on 2,4,5-trichlorophenoxyacetic acid, 2,4-dichlorophenoxyacetic acid and their derivatives in rats. *Toxicol. Appl. Pharmacol.* 22(1):14-28.
148. Kimbrough, R. D. and R. E. Linden. 1978. The effect of technical and purified pentachlorophenol on the rat liver. *Toxicol. Appl. Pharmacol.* 46:151-162.
149. Kimbrough, R. D., M. M. Barnes, and J. B. Greig. 1974. The toxicity of polychlorinated polycyclic compounds and related chemicals. *Crit. Rev. Toxicol.* 2:445-498.
150. King, C. T. G., E. A. Horigan and A. L. Wilk. 1971. Screening of the herbicides 2,4,5-T and 2,4-D for cleft palate production. *Teratology* 4:233.
151. Kociba, R. J., D. G. Keyes, J. E. Beyer, R. M. Carreon and P. J. Gehring. 1979. Long-term toxicologic studies of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in laboratory animals. P397-404 IN *Health Effects of Halogenated Aromatic Hydrocarbons*. W. J. Nicholson & J. A. Moore (Eds.), Vol. 320. New York Academy of Science.
152. Kociba, R. J., D. G. Keyes, J. E. Beyer, R. M. Carreon, C. E. Wade, D. A. Dittenber, R. P. Kalnins, L. E. Frauson, C. N. Park, S. D. Barnard, R. A. Hummel and C. G. Humiston. 1977. Results of a two year chronic toxicity and oncogenicity study of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in rats. *Toxicol. Appl. Pharmacol.* 46:279-303.
153. Kociba, R. J., P. A. Keeler, C. M. Park and P. J. Gehring. 1976. 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD): results of a 13-week oral toxicity study in rats. *Toxicol. Appl. Pharmacol.* 35(3):553-574.
154. Kondorosi, A., I. Fedorcsak, F. Solymosy, L. Ehrenberg and S. Osterman-Golkar. 1973. Inactivation of OB RNA by electrophiles. *Nyvat. Res.* 17(2): 149-161.
155. Konstantinova, T. K. 1974. Experiments on the effects of 2,4,5-T butyl ester on pregnant animals and on the development of their offspring. (Russian) *Gig. Sanit.* 39(8):101-102.
156. Konstantinova, T. K. 1967. Toxicology and some problems of the embryotropic action of the butyl ester of 2,4-D IN *Proceedings of a Conference on Problems on Hygiene and Toxicology of Pesticides*. Bygodchikov (Ed.), Moscow Meditsina (Russian)
157. Koschier, F. J., P. R. Girard, and S. K. Hong. 1978. Transport of 2,4-dichlorophenoxyacetate by rat renal cortical slides. *Toxicol. Appl. Pharmacol.* 45:883-894.

158. Koschier, F. J. and W. O. Berndt. 1976. Specificity of 2,4,5-trichlorophenoxyacetate on tetraethylammonium transport. *Toxicol. Appl. Pharmacol.* 38(2):297-306.
159. Kouri, R. E., H. Ratrie, III, S. A. Allas, A. Niwa and O. W. Nebert. 1974. Aryl hydrocarbon hydroxylase induction in human lymphocyte cultures by 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Life Sci.* 15(9):1585-1595.
160. Kouri, R. E., R. A. Salerno and C. E. Whitmire. 1973. Relationships between aryl hydrocarbon hydroxylase inducibility and sensitivity to chemically induced subcutaneous sarcomas in various strains of mice. *J. Natl. Cancer Inst.* 50(2):363-368.
161. Lamparski, L. L., T. S. Nestruck and R. H. Stahl. 1979. Determination of part-per-trillion concentrations of 2,3,7,8-tetrachlorodibenzo-p-dioxin in fish. *Anal. Chem.* 51(9):1453-1458.
162. Leng, M. L. 1979. Comparative toxicology of various chlorinated dioxins as related to chemical structure. Presentation to the Symposium of Collaborative International Pesticide Advisory Council. Baltimore, Maryland, June 7, 1979. Available from Health and Environmental Sciences, The DOW Chemical Company, Midland, Michigan 48640. MIMO 29P.
163. Leng, M. 1978. Dose levels misinterpreted (letter). *Chem. Eng. News* 56(43): 54, 68-69.
164. Leng, M. L. 1977. Comparative metabolism of phenoxy herbicides in animals P53-76 IN *Fate of Pesticides in the Large Animal*. Academic Press.
165. Leng, M. L. 1972. Residues in milk and meat and safety to live stock from the use of phenoxy herbicides in pasture and rangeland. *Down-to-Earth* 28(1): 12-20. *Health Aspects Pestic.* 5(11):536, 1972.
166. Leyland, A. 1975. A case of 2,4,5-T poisoning in the dog. *Vet. Rec.* 92(6): 149-150. *Pestic. Abstr.* 7(2):78, 1974. *Weed Abstr.* 24(4):83- 1975.
167. Lindahl, R. 1978. Rat liver aldehyde dehydrogenase-immunochemical identity of 2,3,7,8-tetrachlorodibenzo-p-dioxin inducible normal liver and 2-acetylaminofluoren inducible hepatoma isozymes. *Biochem. Pharmacol.* 27:2463-2465.
168. Lindquist, N. G. 1974. An autoradiographic study on the distribution of the herbicide 4-chloro-2-methylphenoxyacetic acid in pregnant mice. *Toxicol. Pharmacol.* 30(2):227-236.
169. Lindquist, N. G. and S. Ullberg. 1971. Distribution of the herbicides 2,3,5-T and 2,4-D in pregnant mice: accumulation in the yolk sac epithelium. *Experientia* 27:1439-1441.
170. Lisk, D. J., W. H. Gutenmann, C. A. Bache, R. G. Warner, and D. G. Wagner. 1963. Elimination of 2,4-D in the urine of steers fed 4-(2,4-DB) or 2,4-D. *J. Dairy Sci.* 46:1435-1437.

171. Lloyd, J. B. and F. Beck. 1969. The mechanism of teratogenic action of trypan blue. PP 145-151. IN Proceedings of a Symposium Organized by the Italian Society of Experimental Teratology, Como, Italy, 21-22 Oct 1977. A. Bertell and L. Donati (Eds.), Excerpta Medica Foundation, Amsterdam.
172. Lucier, G. W. and O. S. McDaniel. 1979. Developmental toxicology of the halogenated aromatics: effects on enzyme development. P 449-457 IN Health Effects of Halogenated Aromatic Hydrocarbons. W. J. Nicholson & J. A. Moore (Eds.), Vol. 320. The New York Academy of Science
173. Lucier, G. W., E. M. K. Lui and C. A. Lamartiniere. 1979. Metabolic activation/deactivation reactions during perinatal development. Environ. Health Persp. 29:7-16.
174. Lucier, G. W., O. S. McDaniel and G. E. R. Hook. 1975. Nature of the enhancement of hepatic uridine diphosphate glucuronyltransferase activity by 2,3,7,8-tetrachlorodibenzo-p-dioxin in rats. Biochem Pharmacol. 24(3): 325-334.
175. Lucier, G. W., B. R. Sonawane, O. S. McDaniel and G. E. R. Hook. 1975. Postnatal stimulation of hepatic microsomal enzymes following administration of TCDD to pregnant rats. Chem. Bio. Interact. 11(1):15-26.
176. Luster, M. I., G. Clark, L. D. Lawson and R. E. Faith. 1979. Effects of brief in vitro exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on mouse lymphocytes. J. Environ. Pathol. Toxicol. 2:965-977.
177. Luster, M. I., R. E. Faith and G. Clark. 1979. Laboratory studies on the immune effects of halogenated aromatics. PP 473-486 IN Health Effects of Halogenated Aromatic Hydrocarbons. W. J. Nicholson & J. A. Moore (Eds.), Vol. 320. New York Academy of Science.
178. Luster, M. I. and R. E. Faith. 1979. Assessment of immunologic alterations caused by halogenated aromatic hydrocarbons. PP 572-578 IN Health Effects of Halogenated Aromatic Hydrocarbons. W. J. Nicholson & J. A. Moore (Eds.), Vol. 320. New York Academy of Science
179. Majumdar, S. K. and R. C. Hall. 1973. Cytogenic effects of 2,4,5-T on in vivo bone marrow cells of mongolian gerbils. J. Heredity 64:213-216.
180. Manis, J. 1979. Introduction of iron transport by a potent inducer of aryl hydrocarbon hydroxylase, 2,3,7,8-tetrachlorodibenzo-p-dioxin. Arch. Environ. Health 34:141-145.
181. Manis, J. and R. Apap. 1979. Intestinal organic anion transport, glutathione transferase and aryl hydrocarbon hydroxylase activity: effect of dioxin. Life Sciences 24:1373-1380.
182. Manis, J. and G. Kim. 1979. Stimulation of iron absorption by polychlorinated aromatic hydrocarbons. Am. J. Physiol. 236(6):E763-768.

183. Mantovani, A., A. Vecchi, W. Luini, M. Sironi, G. P. Candiani, F. Spreafico and S. Garattini. 1979. Effect of 2,3,7,8-tetrachlorodibenzo-p-dioxin on macrophage and natural killer cell-mediated cytotoxicity in mice. Istituto di Ricerche Farmacologiche "Mario Negri" via Enitrea 62-2, Milan, Italy.
184. Marguardt, H., J. E. Sodergren, P. Sims and P. L. Grover. 1974. Malignant transformation in vitro of mouse fibroblasts by 7,12-dimethylbenz(a)anthracene and 7-hydroxymethyl benz(a)anthracene and by their k-region derivatives. *Inst. J. Cancer* 13:304-130.
185. Mason, R. W. 1972. The binding of some chlorophenoxy acids to bovine serum albumin in vitro. *Proc. Univ. Otago Med. Sch.* 50(3):61-63.
186. Matthews, H. B. and S. Kato. 1979. The metabolism and disposition of halogenated aromatics. PP 131-137 IN *Health Effects of Halogenated Aromatic Hydrocarbons*. W. J. Nicholson & J. A. Moore (Eds.), Vol. 320. The New York Academy of Science.
187. Millard, S. A., M. B. Hart and J. F. Shimek. 1973. Enzymes controlling cerebral DNA synthesis: Response to 2,4,5-trichlorophenoxyacetic acid and hexachlorophene. *Biochim. Biophys. Acta* 308(2):230-223. *Health Aspects Pestic.* 6(8):426, 1973.
188. Miller, J. P. and J. R. Allen. 1977. Chronic toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin in rats. *Fed. Proc.* 36:396
189. Miller, J. P., J. J. Lalich and J. R. Allen. 1977. Increased incidence of neoplasms in rats exposed to low levels of 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Chemosphere* 9:537-544.
190. Miller, J. P., R. J. Marlar and J. R. Allen. 1976. Tissue distribution and excretion of tritiated tetrachlorodibenzo-p-dioxin in non-human primates and rats. *Food Cosmet. Toxicol.* 14:31-34.
191. Mitchell, J. W., R. E. Hodgson and C. F. Gaetjens. 1944. Tolerance of farm animals to feed containing 2,4-D. *J. Anim. Sci.* 5:226-232.
192. Moffett, J. O. and H. L. Morton. 1975. How herbicides affect honey bees. *Am. Bee J.* 115(5):178-200.
193. Moore, J. A. and R. E. Faith. 1976. Immunologic response and factors affecting its assessment. *Environ. Health Persp.* 18:125-131.
194. Moore, J. A., B. N. Gupta, J. G. Zinkl and J. G. Vos. 1973. Postnatal effects of maternal exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). *Environ. Health Persp.* 5:81-85.
195. Muller, W. F., I. Schevner, K. Rozman, W. Kogel, D. Freitag, E. Richter, F. Coulston and F. Korte. 1978. Comparative metabolism of hexachlorobenzene and pentachloronitrobenzene in plants, rats and rhesus monkeys. *ECotoxicol. Environ. Safety* 2:437-445.

196. Mullison, W. R. 1973. Herbicides-are they safe? *Down-to-Earth* 29(3):7-11
197. Muranyi-Kovacs, I., G. Rudali and J. Imbert. 1976. Bioassay of 2,4,5-trichlorophenoxyacetic acid for carcinogenicity in mice. *Brit. J. Cancer* 33:626-633.
198. Murray, F. J., F. A. Smith, K. D. Nitschke, C. G. Humiston, R. J. Kociba and B. A. Schwetz. 1977. Three generation reproduction study of rats ingesting 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Toxicol. Appl. Pharmacol.* 35(1):139-140.
199. McConnell, E. E. and J. A. Moore. 1979. Toxicopathology characteristics of the halogenated aromatics. PP 138-150 IN *Health Effects of Halogenated Aromatic Hydrocarbons*. W. J. Nicholson & J. A. Moore (Eds.), Vol. 320. The New York Academy of Science.
200. McConnell, E. E., J. A. Moore, K. Hasemen and H. W. Harris. 1978. The comparative toxicity of chlorinated dibenzo-p-dioxins in mice and guinea pigs. *Toxicol. Appl. Pharmacol.* 44:335-356.
201. McConnell, E. E., J. A. Moore and D. W. Dalgard. 1978. Toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin in rhesus monkeys (*macaca mulatta*) following a single oral dose. *Toxicol. Appl. Pharmacol.* 43:175-187.
202. McLennan, M. W. 1974. 2,4-D toxicity in dairy cattle. *Pestic. Abstr.* 9(2):88.
203. McWulft, W. P. 1977. Toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin for rhesus monkeys:brief report. *Bull. Environ. Contam. Toxicol.* 18(1):108-109.
204. Nagy, Z., I. Mile and F. Antoni. 1975. The mutagenic effect of pesticides on *Escherichia coli* WP 2 try. *Acta. Microbiol. Acad. Sci.Huhg.* 22:309-314.
205. Neal, R. A., P. W. Beatty and T. A. Gasiewicz. 19 . Studies of the mechanisms of toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). PP204-213 IN *Health Effects of Halogenated Aromatic Hydrocarbons*. W. J. Nicholson & J. A. Moore (Eds.), Vol. 320. New York Academy of Science.
206. Nelson, J. C. and J. F. Holson. 1978. Statistical analysis of teratologic data:problems and advancements. *J. Environ. Pathol. Toxicol.* 2:187-199.
207. Neubert, D., P. Zens, A. Rothenwallner and H. J. Merker. 1973. A survey of the embryotoxic effects of TCDD in mammalian species. *Environ. Health Perspect.* 5:67-79.
208. Neubert, D. and I. Dillmann. 1972. Embryotoxic effects in mice treated with 2,4,5-trichlorophenoxyacetic acid and 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Arch. Pharmacol.* 272:243-264.
209. Nienstedt, W., M. Parkki, P. Uotila and A. Aitio. 1979. Effect of 2,3,7,8-tetrachlorodibenzo-p-dioxin on the hepatic metabolism of testosterone in the rat. *Toxicol.* 13:233-236.

210. Nishizumi, M. 1978. Acute toxicity of polychlorinated dibenzofurans in CF-1 mice. *Toxicol. Appl. Pharmacol.* 45:209-212.
211. Niwa, A., K. Kumaki, D. W. Nebert and A. P. Poland. 1975. Genetic expression of aryl hydrocarbon hydroxylase activity in the mouse. *Arch. Biochem. Biophys.* 166(2):559-564.
212. Niwa, A., K. Kumaki and D. W. Nebert. 1975. Induction of aryl hydrocarbon hydroxylase activity in various cell cultures by 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Mol. Pharmacol.* 11(4):399-408. *Pestic. Abstr.* 8(10):685, 1976.
213. Norback, D. H., J. F. Engblom, and J. R. Allen. 1975. Tissue distribution and excretion of octachlorodibenzo-p-dioxin in the rat. *Toxicol. Appl. Pharmacol.* 32:330-338.
214. Norback, D. H. and J. F. Engblom. 1973. Chlorinated dibenzo-p-dioxin distribution with rat tissues and subfractions of the liver. *Fed. Proc., Fed. Amer. Soc. Exp. Biol.* 32(3):237.
215. Norback, D. H. and J. R. Allen. 1973. Biological responses of the nonhuman primate, chicken and rat to chlorinated dibenzo-p-dioxin ingestion. *Environ. Health Perspect.* 5:232-240.
216. Norman, R. L., E. F. Johnson and V. Muller-Eberhard. 1978. Identification of the major cytochrome P-450 form transplacentally induced in neonatal rabbits by 2,3,7,8-tetrachlorodibenzo-p-dioxin. *J. Biol. Chem.* 253(23):8640-8647.
217. Orberg, J. 1980. Observations on the 2,4-dichlorophenoxyacetic acid (2,4-D) excretion in the goat. *Acta. Pharmacol. Toxicol.* 46:78-80.
218. Palmer, J. S. 1972. Toxicity of 45 organic herbicides to cattle, sheep and chickens. Production Research Report 137. Agricultural Research Service, USDA, US Government Printing Office, Washington DC.
219. Palmer, J. S. and R. D. Rudeleff. 1974. The toxicology effects of certain fungicides and herbicides on sheep and cattle. *Ann. N. Y. Acad. Sci.* 111: 729-736.
220. Palmer, J. S., D. E. Clark and L. M. Hunt. 1964. Toxicologic effects of silvex on yearling cattle. *J. Am. Vet. Med. Assoc.* 144(7):750-755.
221. Palmer, J. S. 1963. Chronic toxicity of 2,4-D alkylamine salts to cattle. *J. Am. Vet. Med. Assoc.* 143(4):398-399.
222. Peterson, R. E., B. V. Madhukar, K. H. Yang and F. Matsumura. 1979. Depression of adenosine triphosphatase activities in isolated liver surface membranes of 2,3,7,8-tetrachlorodibenzo-p-dioxin treated rats: correlation with effects of ouabain biliary excretion and bile flow. *J. Pharmacol. Exp. Ther.* 210(2):275-282.

223. Pegg, D. G., W. R. Hewitt, K. M. McCormack and J. B. Hook. 1976. Effect of 2,3,7,8-tetrachlorodibenzo-p-dioxin on renal function in the rat. *J. Toxicol. Environ. Health* 21(1):55-65.
224. Pilinskaya, M. A. 1974. Cytogenetic effect of the herbicide 2,4-D on human and animal chromosomes. (Russian) *Tsitol. Genet.* 8(3):202-206. *Pestic. Abstr.* 9(7):523, 1976.
225. Piper, W. N., J. Q. Rose and P. J. Gebring. 1973. Excretion and tissue distribution of 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat. *Advan. Chem. Ser.* 120:85-91.
226. Piper, W. N., J. Q. Rose, M. L. Leng and P. J. Gebring. 1973. The fate of 2,4,5-tetrachlorophenoxyacetic acid (2,4,5-T) following oral administration to rats and dogs. *Toxicol. Appl. Pharmacol.* 26:339-351.
227. Piper, W. N. and J. Q. Rose. 1971. Excretion and tissue distribution of 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat. *Advan. Chem. Ser.* 120:85-91.
228. Pohl, R. J., R. M. Philpot and J. R. Fouts. 1976. Cytochrome P-450 content and mixed-function oxidase activity in microsomes isolated from mouse skin. *Drug Metab. Disposition* 4(5):442-450.
229. Pohlheim, E., F. Pohlheim and G. Gunther. 1977. Mutagenicity testing of herbicides with a haploid pelargonium. *Mutat. Res.* 46(3):232. *Pestic. Abstr.* 10(9):503-504.
230. Poland, A., W. E. Grechlee and A. S. Kende. 1979. Studies on the mechanism of action of the chlorinated dibenzo-o-dioxins and related compounds. PP 214-230 IN *Health Effects of Halogenated Aromatic Hydrocarbons*. W. J. Nicholson & J. A. Moore (Eds.), Vol. 320. The New York Academy of Science
231. Poland, A. and E. Glover. 1979. An estimate of the maximum in vivo covalent binding of 2,3,7,8-tetrachlorodibenzo-p-dioxin to rat liver protein, ribosomal RNA, and DNA. *Cancer Res.* 39:3341-3344.
232. Poland, A., E. Glover and A. S. Kende. 1976. Stereospecific, high affinity binding of 2,3,7,8-tetrachlorodibenzo-p-dioxin by hepatic cytosol. *J. Bio. Chem.* 251(16):4936-4946. *Pestic. Abstr.* 10(1):27, 1977.
233. Poland, A. and A. Kende. 1976. 2,3,7,8-tetrachlorodibenzo-p-dioxin:an environmental contaminant and molecular probe. *Fed. Proc.* 35(12):2404-2411.
234. Poland, A. and E. Glover. 1975. Genetic expression of aryl hydrocarbon hydroxylase by 2,3,7,8-tetrachlorodibenzo-p-dioxin:evidence for a receptor mutation in genetically nonresponsive mice. *Mol. Pharmacol.* 11(4):389-398. *Pestic. Abstr.* 8(10):684-685, 1976.
235. Poland, A. and E. Glover. 1974. Genetic expression of aryl hydrocarbon hydroxylase activity. Induction of monooxygenase activities and cytochrome P-450 formation by 2,3,7,8-tetrachlorodibenzo-p-dioxin in mice genetically "nonresponsive" to other aromatic hydrocarbons. *J. Biol. Chem.* 249(17):5599-5606.

236. Poland, A. and E. Glover. 1974. Comparison of 2,3,7,8-tetrachloro-dibenzo-p-dioxin, a potent inducer of aryl hydrocarbon hydroxylase, with 3-methylcholanthrene. *Molec. Pharmacol.* 10:349-359.
237. Poland, A. and E. Glover. 1973. Studies on the mechanism of toxicity of the chlorinated dibenzo-p-dioxins. *Environ. Health Persp.* 5:245-251. *Pestic Abstr.* 7(3):148-149, 1974.
238. Poland, A. and E. Glover. 1973. 2,3,7,8-tetrachlorodibenzo-p-dioxin: a potent inducer of S-aminolevulinic acid synthetase. *Science* 179:476-477.
239. Pritchard, John B. 1979. Toxic substances and cell membrane function. *Fed. Proc.* 38:2220-2225.
240. Putnam, J. and K. D. Courtney. 1976. Metabolic studies with TCDD (dioxin) treated rats. *Toxicol. Appl. Pharmacol.* 27(1):170. *Pestic. Abstr.* 9(11):801, 1976.
241. Radcliff, R. D. 1970. Herbicides, desiccants, plant growth regulators and fungicides. P 264-297. IN *Veterinary Toxicology*. Leo & Febigen (Eds.), Philadelphia PA. PP 352
242. Renner, H. W. 1979. Monitoring of genetic environmental risk with new mutagenicity tests. *Ecol. Environ. Safety* 3:122-125.
243. Rip, J. W. and J. H. Cherry. 1976. Liver enlargement induced by the herbicide 2,4,5-trichlorophenoxyacetic acid (2,4,5-T). *J. Agric. Food Chem.* 24(2):255-260.
244. Roberts, R. E. and B. J. Rogers. 1957. The effect of 2,4,5-T brush spray on turkeys. MIM ID-13. 2P. Purdue University, Agricultural Experimental Station, Lafayette IN
245. Roll, R. 1973. Toxicological evaluation of special organochlorinated compounds. PP 117-124 IN *Environmental Quality and Safety*. Georg Thieme Publishers, Stuttgart, Academic Press, Inc., New York NY
246. Roll, R. 1971. Studies of the teratogenic effect of 2,4,5-T in mice. *Food Cosmet. Toxicol.* 9(5):671-676.
247. Rose, J. Q., J. C. Ramsey, T. H. Wentzler, R. A. Hummel and P. J. Gehring. 1976. The fate of 2,4,7,8-tetrachlorodibenzo-p-dioxin following single and repeated oral doses to the rat. *Toxicol. Appl. Pharmacol.* 36:209-226.
248. Rowe, U. K. and T. A. Hymas. 1954. Summary of toxicological information of 2,4-D and 2,4,5-T type herbicides and an evaluation of the hazards to livestock associated with their use. *Amer. J. Vet. Res.* 15(5):622-629.

249. Souerhoff, M. W., W. H. Braun, G. E. Blau and P. J. Gehring. 1976. The dose-dependent pharmacokinetic profile of 2,4,5-trichlorophenoxyacetic acid following intravenous administration to rats. *Toxicol. Appl. Pharmacol.* 36:491-501.
250. Schiller, C. M. 1979. Chemical exposure and intestinal function. *Environ. Health Perspect.* 33:91-100.
251. Schiller, K. 1964. Beeinflussung der fertilität von ratten durch staffemit sonderwirkung im kartoffelbau. (German) *Landbaugorch.* Volkenrode 14(2):111-114.
252. Schillinger, J. I. 1960. Hygienische wertung von landwirtschaftlichen erzeugnissen, angebaut unter anwendung von herbizider. (Praha). *J. Hyg. Epidemiol.* 4:243-252.
253. Schulz, K. H. 1968. Zur klinik und etiologie der chlorakne. *Arbeitsmed. (German) Sozialmed Arbeitshyg.* 3:25-29.
254. Schwetz, B. A., G. L. Sparschu, and P. J. Gehring. 1971. The effect of 2,4-dichlorophenoxyacetic acid (2,4-D) and esters of 2,4-D on rat embryonal, fetal and neonatal growth and development. *Food Cosmet. Toxicol.* 9:801-807.
255. Seabury, J. G. 1963. Toxicity of 2,4-dichlorophenoxyacetic acid for man and dog. *Arch. Environ. Health.* 7:202-209.
256. Seiler, J. P. 1973. A survey on the mutagenicity of various pesticides. *Experientia* 29:622-623.
257. Seefeld, M. D., R. M. Albrecht, and R. E. Peterson. 1972. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on indocyanine green blood clearance in rhesus monkeys. *Toxicol.* 14:263-272.
258. Sharma, R. P. and P. J. Gehring. 1979. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on splenic lymphocyte transformation in mice after single and repeated exposures. PP 487-497 IN *Health Effects of Halogenated Aromatic Hydrocarbons*. W. J. Nicholson & J. A. Moore (Eds.), Vol. 320. The New York Academy of Science.
259. Shaugulidze, M. M., U. I. Nanobashvili and M. N. Nirianashvili. 1976. Toxicity of the herbicide 2,4-D. (Russian) *Veterinariya* 4:103-104. *Pestic. Abstr.* 9(11):805, 1976.
260. Shirasu, Y., M. Moriya, K. Kato, A. Furuhashi and T. Kada. 1976. Mutagenicity screening of pesticides in the microbial system. *Mutation Res.* 40:19-30.
261. Shirasu, Y. 1975. Significance of mutagenicity testing on pesticides. *Environ. Qual. Saf.* 4:226-231.

262. Sinclair, P. R. and S. Granick. 1974. Uroporphyrin formation induced by chlorinated hydrocarbons clindane, polychlorinated biphenyls, tetrachlorodibenzo-p-dioxin: requirements for endogenous iron, protein synthesis and drug-metabolizing activity. *Biochem. Biophys. Res.* 61(1): 124-133. *Pestic. Abstr.* 8(2):84-85, 1975.
263. Sjoden, P. O. and U. Soderberg. 1975. Long lasting effects of prenatal 2,4,5-trichlorophenoxyacetic acid on open field behavior in rats:pre- and postnatal mediation. *Physiol. Psychol.* 3(2):175-178.
264. Sjoden, P. O. and U. Soderberg. 1972. Sex-dependent effects of prenatal 2,4,5-trichlorophenoxyacetic acid on rat's openfield behavior. *Physiol. Behav.* 9(3):357-360. *Health Aspects Pestic.* 6(8):441, 1973.
265. Smejtek, Pavel and Mali Paulis-Illangase-Kare. 1975. Modification of ion transport in lipid bilayer membranes in the presence of 2,4-dichlorophenoxyacetic acid: II. Suppression of tetraphenylborate conductance and changes of interfacial potentials. *Biophys. J.* 26(3):467-487.
266. Smejtek, P. and M. Paulis. 1979. Modification of ion transportation in lipid bilayer membranes in the presence of 2,4-Dichlorophenoxyacetic acid. I. Enhancement of cationic conductance and changes of the kinetics of nonactin-mediated transport of potassium. *Biophys. J.* 26(3):441-446.
267. Smith, F. A., B. A. Schwetz and K. D. Nitschke. 1976. Teratogenicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin in CF-1 mice. *Toxicol. Appl. Pharmacol.* 38:517-523.
268. Somers, J. D., E. T. Moran, Jr., and B. S. Rheinhardt. 1978. Hatching success and early performance of chicks from eggs sprayed with 2,4-D, 2,4,5-T and picloram at various stages of embryonic development. *Bull. Environ. Contam. Toxicol.* 20:289-293.
268. Sparschu, G. L., F. L. Dunn, R. W. Lisowe and U. K. Rowe. 1971. Study of the effects of high levels of 2,4,5-trichlorophenoxyacetic acid on fetal development in the rat. *Food Cosmet. Toxicol.* 9:527-530.
269. Sparschu, G. L., F. L. Dunn and U. K. Rowe. 1971. Study of the teratogenicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat. *Food Cosmet. Toxicol.* 9:405-512.
270. Sparschu, G. L., F. L. Dunn, and V. K. Rowe. 1970. Teratogenic study of 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat. *Toxicol. Appl. Pharmacol.* 17:317-318.
271. Sterling, T. D. 1975. Toxic and teratogenic effect of 2,4,5-trichlorophenoxyacetic acid and 2,3,7,8-tetrachlorodibenzo-p-dioxin. (Summary of evidence presented by the Royal Commission Hearings on Herbicides and Pesticides, 16 July 1974 and to Hearings of the assembly Committee on Natural Resources of the State of Wisconsin, 1975. 24 p.

272. Sterling, T. D. 1971. Difficulty of evaluating the toxicity and teratogenicity of 2,4,5-T from animal experiments. *Science* 174(4016): 1358-1359. *Weed Abstr.* 21(5):417, 1972.
273. Stroo, W. E., K. M. McCormack and J. B. Hook. 1979. Renal functional effects of 2,4,5-trichlorophenoxyacetic acid and silves after acute and prolonged exposure. *J. Toxicol. Environ. Health* 5:845-854.
274. Styles, J. A. 1973. Cytotoxic effects of var-ous pesticides in vivo and in vitro. *Mutat. Res.* 21(1):50-51.
275. Sugar, J., K. T'oth, O. Csuka, E. Gati, and S. Somfai-Relle. 1979. Role of pesticides in hepatocarcinogenesis. *J. Toxicol. Environ. Health* 5:183-191.
276. Sugar, J., K. Toth, S. Somfai-Relle, and J. Bence. 1979. Research related to the herbicide buvinol, especially for possible carcinogenicity. *IARC Sci. Publ.* 74(25):67-172.
277. Sugiura, K., N. Matsumoto, T. Washino, Y. Mohara and M. Goto. 1979. Accumulation of organochlorine compounds in fishes:distribution of 2,4,5-T; a-HCH; B-HCH;T-HCH; and 2,4,6,2',4',6'-hexachlorobiphenyl in tissues. *Chemosphere* 6:365-368.
278. Sundstrom, G., S. Jensen, B. Jansson and K. Erne. 1979. Chlorinated phenoxyacetic acid derivative and tetrachlorodibenzo-p-dioxin in foliage after application of 2,4,5-trichlorophenoxyacetic acid esters. *Arch. Environ. Contam. Toxicol.* 8:441-448.
279. Sweeney, G. D., K. G. Jones, F. M. Cole, D. Basford and F. Krestynski. 1979. Iron deficiency prevents liver toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Science* 204:332-335.
280. Thigpen, J. E., R. E. Faigh, E. C. McConnell and J. A. Moore. 1975. Increases susceptibility to bacterial infection as a sequela of exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Infect. Immun.* 12(6):1319-1324.
281. Thio, P. A., M. J. Kornet, H. S. I. Tan and D. H. Tompkins. 1979. Alkylation of carboxylate salts of acidic herbicides for gas chromatographic analysis. *Anal. Letters* 12(A9):1009-1017.
282. Thomas, P. T. and R. D. Hinsdill. 1979. The effect of perinatal exposure to tetrachlorodibenzo-p-dioxin on the immune response of young mice. *Drug Chem. Toxicol.* 2(1&2):77-98.
283. Toth, K., J. Sugar, S. Somfai-Relle and J. Berce. 1978. Carcinogenic bioassay of the herbicide 2,4,5-trichlorophenoxyethanol (TCPE) with different 2,3,7,8-tetrachlorodibenzo-p-dioxin (dioxin) content in Swiss mice. *Prog. Biochem. Pharmacol.* 14:82-93.

284. Tulp, M. Th. M., G. Sundstrom, B. J. M. Martron and O. Hutzinger. 1979. Metabolism of chlorodiphenyl ethers and irgasan DP 300. *Xenobiotica* 9(2):65-77.
285. Vanlogten, M. J., B. N. Gupta, E. E. McConnell and J. A. Moore. 1980. Role of the endocrine system in the action of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on the thymus. *Toxicology* 15:135-144.
286. VanMiller, J. P. and J. R. Allen. 1977. Chronic toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin in rats. *Fed. Proc.* 36:396.
287. VanMiller, J. P., J. J. Lalich and J. R. Allen. 1977. Increased incidence of neoplasms in rats exposed to low levels of 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Chemosphere* 9:537-544.
288. VanMiller, J. P., R. J. Marlar and J. R. Allen. 1976. Tissue distribution and excretion of tritiated tetrachlorodibenzo-p-dioxin in non-human primates and rats. *Food Cosmet. Toxicol.* 14:31-34. *Pestic. Abstr.* 9(6):421, 1976.
289. Vinopal, J. H. and J. E. Casida. 1973. Metabolic stability of 2,3,7,8-tetrachlorodibenzo-p-dioxin in mammalian liver microsomal systems and in living mice. *Arch. Environ. Contam. Toxicol.* 1:122-132.
290. Viviani, A., W. K. Lutz and C. Schlatter. 1978. Time course of the induction of aryl hydrocarbon hydroxylase in rat liver nuclei and microsomes by phenobarbital, 3-methylcholanthrene, 2,3,7,8-tetrachlorodibenzo-p-dioxin, dieldrin and other inducers. *Biochem. Pharmacol.* 27:2103-2108.
291. Vos, J. G. and J. A. Moore. 1974. Suppression of cellular immunity in rats and mice by maternal treatment with 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Int. Arch. Allergy* 47:777-794. *Pestic. Abstr.* 9(5):350, 1976. *Pestic. Abstr.* 9(2):108, 1976.
292. Vos, J. G., J. A. Moore and J. G. Zinkl. 1974. Toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in C57B116 mice. *Toxicol. Appl. Pharmacol.* 29:225-241.
293. Walker, E. M., R. H. Gadsden, L. M. Atkins and G. R. Gale. 1972. Some effects of 2,4-D and 2,4,5-T on ehrlich ascites tumor cells in vivo and in vitro. *Ind. Med.* 41(1):22-27.
294. Wassom, J. S., J. E. Huff and N. Loprieno. 1978. A review of the genetic toxicology of chlorinated dibenzo-p-dioxins. *Mutat. Res.* 47:141-160.
295. Weissberg, J. G. and J. G. Zinkl. 1973. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin upon hemostasis and hematologic function in the rat. *Environ. Health Perspect.* 5:119-123.

296. White, C. G., J. F. Holson and J. F. Young.
297. Wilson, J. G. 1977. Environmental chemicals. P 357-386 IN Handbook of Teratology. J. G. Wilson and F. C. Fraser (Eds.), Vol. 2, Plenum Press, New York NY
298. Wilson, J. G. 1977. Teratogenic effects of environmental chemicals. Fed. Proc. 36(5):1698-1703.
299. Wilson, J. G. 1973. Editorial. Mechanisms of teratogenesis. Am. J. Anat. 136:129-132.
300. Wilson, J. G. 1972. Teratological potential of 2,4,5-T. Proc. South Weed Sci. Soc. 25:26-30.
301. Wilson, J. G. (Chairman). 1971. Report of the Advisory Committee on 2,4,5-T to the Administrator of the Environmental Protection Agency. Washington, DC. MIM 76P.
302. Yasuda, M. and H. Macda. 1972. Teratogenic effects of 4-chloro-2-methylphenoxyacetic acid ethylester (MCPEE) in rats. Toxicol. Appl. Pharmacol. 23(2):326-333.
303. Young, A. L., C. E. Thalken and D. D. Harrison. 1979. Persistence, bioaccumulation and toxicology of TCDD in an ecosystem treated with massive quantities of 2,4,5-T herbicide. AFSC Document 79-890.
304. Young, A. L., J. A. Calcagni, C. E. Thalken, and J. W. Tremblay. 1978. The toxicology, environmental fate and human risk of herbicide orange and its associated dioxin. Technical Report OEHL TR 78-92, USAF Occupational and Environmental Health Laboratory, Brooks Air Force Base, TX 78235. 247 P.
305. Young, A. L., C. E. Thalken, E. L. Arnold, J. M. Cupello and L. G. Cockerham. 1976. Fate of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in the environment: summary and decontamination recommendations USAFA TR 76-18, Department of Chemistry and Biological Sciences, USAF Academy CO 80840. 41 P.
306. Young, A. L., C. E. Thalken and W. E. Ward. 1975. Studies of the ecological impact of repetitive aerial applications of herbicides on the ecosystem of test area C-52A, Eglin AFB FL. Technical Report AFATL TR 75-142, Department of Chemistry and Biological Sciences, USAF Academy CO 80840. 127 P.
307. Young, A. L. 1974. Ecological studies on a herbicide equipment test area (TAC-52A), Eglin AFB Reservation FL. Technical Report AFATL TR 74-12, Environics and Flame Munitions Branch, Flame Incendiary and Explosives Division, Air Force Armament Laboratory, Eglin Air Force Base FL 32540. 141 p.

308. Zielinski, W. L., Jr. and L. Fishbein. 1967. Gas chromatographic measurement of disappearance rates of 2,4-D and 2,4,5-T acids and 2,4-D esters in mice. J. Agric. Food Chem. 15:841-844.
309. Zingeser, M. R. 1979. Anomalous development of the soft palate in rhesus macaques (*macaca mulatta*) prenatally exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. Teratology 19(2):54A-55A.
310. Zingeser, M. R. 1978-79. PCB and TCDD orofacial teratogenesis in macaca mulatta. Oregon Regional Primate Research Center, Progress Report. PP 41-42.
311. Zinkl, J. G., J. G. Vos, J. A. Moore and B. N. Gupta. 1973. Hematologic and clinical chemistry effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin in laboratory animals. Environ. Health Perspect. 5:111-118.

DRAFT

A. V. U. ...

BIBLIOGRAPHY

TOXICOLOGY OF 2,4-D, 2,4,5-T and TCDD

- ✓1. Advisory Committee on 2,4,5-T. 1971. Report of the Advisory Committee on 2,4,5-T to the Administrator of the Environmental Protection Agency. 76 p.
- ✓2. Aitio, A. and M.G. Parkki. 1978. Organ specific induction of drug metabolizing enzymes by 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat. Toxicol. Appl. Pharmacol. 44:107-114.
- ✓3. Allen, J.R., D.A. Barsotti, J.P. Van Miller, L.J. Abrahamson and J.J. Lalich. 1977. Morphological changes in monkeys consuming a diet containing low-levels of 2,3,7,8-tetrachlorodibenzo-p-dioxin. Food Cosmet. Toxicol. 15:401-410.
- ✓4. Allen, J.R., J.P. Van Miller and D.H. Norback. 1975. Tissue distribution, excretion and biological effects of [14C] tetrachlorodibenzo-p-dioxin in rats. Food Cosmet. Toxicol. 13:501-505.
- ✓5. Andersen, K.J., E.G. Leighty and M.T. Takahashi. 1972. Evaluation of herbicides for possible mutagenic properties. J. Agr. Food Chem. 20(3):649-656.
- ✓6. Bage, G., E. Cekanova and K.S. Larrson. 1973. Teratogenic and embryotoxic effects of the herbicides di- and trichlorophenoxy-acetic acids (2,4-D and 2,4,5-T). Acta Pharmacol. Toxicol. 32(6):408-416.

- ✓7. Baker, D.L., F.K. Ramsey and E.P. Sylvester. 1953. Suspected poisoning of dogs from eating grasses treated with 2,4-D. North Am. Vet. 34:194.
- ✓8. Bartheson, F.D., D.D. Harrison and J.D. Morgan. 1975. Field studies of wildlife exposed to TCDD contaminated soils. Air Force Armament Laboratory, Eglin AFB, Florida. AFATL-TR-75-49. 58 p.
- ✓9. Beatty, P.W., M.A. Holscher and R.A. Neal. 1976. Toxicity of 2,3,7,8-tetrachloro-dibenzo-p-dioxin in larval and adult forms of Rana catesbeiana. Bull. Environ. Contam. Toxicol. 16(5):578-581.
- ✓10. Beatty, P.W., K.J. Lemback, M.A. Holscher and R.A. Neal. 1975. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on mammalian cells in tissue culture. Toxicol. Appl. Pharmacol. 31:309-312.
- ✓11. Beatty, P.W. and R.A. Neal. 1976. Induction of DT-diaphorase by 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Biochem. Biophys. Res. Commun. 68(1):197-204.
- ✓12. Beatty, P.W., W.K. Vaughn, and R.A. Neal. 1978. Effect of alteration of rat hepatic mixed-function oxidase (MFO) activity on the toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Toxicol. Appl. Pharmacol. 45:513-519.
- ✓13. Becker, D. 1973. The effects of folate overdose and of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on kidney and liver respectively of rat and mouse embryos. Teratology. 8:215.

- ✓14. Berndt, W.O. and F. Koschier. 1973. In vitro uptake of 2,4-dichlorophenoxyacetic acid (2,4-D) and 2,4,5-trichlorophenoxyacetic acid (2,4,5-T) by renal cortical tissue of rabbits and rats. Toxicol. Appl. Pharmacol. 26:559-570.
15. Berry, D.L., P.K. Zachariah, M.J. Namkung, and M.R. Juchau. 1976. Transplacental induction of carcinogen-hydroxylating systems with 2,3,7,8-tetrachlorodibenzo-p-dioxin. Toxicol. Appl. Pharmacol. 36(3):569-584.
16. Biczó, G., M. Kertész, I. Lukovits, I. Moyer, and S. Suhai. 1976. Quantum-chemical examination of the carcinogenic activity of TCDD. In: The development of a pesticide as a complex scientific task; ed. by L. Bánki. Budapest, Hungary; Medicina. P 257-261.
- ✓17. Binns, W. and L. Balls. 1971. Non-tetratogenic effects of 2,4,5-trichlorophenoxy acetic acid and 2,4,5-T propylene glycol butyl ester herbicides in sheep. Teratology. 4:245.
- ✓18. Binns, W. and A.E. Johnson. 1970. Chronic and teratogenic effects of 2,4-D (2,4-dichlorophenoxyacetic acid) and atrazine (2-chloro-4-ethylamino-6-isopropylamino-s-triazine) to sheep. Proc. North Cent. Weed Conf. 25:100. Weed Abstr. 21(5):417, 1972.
19. Bionetics Research Laboratories, Inc. 1968. Evaluation of carcinogenic, teratogenic and mutagenic activities of selected pesticides and industrial chemicals. Vol. I. Carcinogenic Study.

/Submitted under contracts PH 43-64-57 and PH 43-67-735 with the National Cancer Institute.

- ✓20. Bionetics Research Laboratories, Inc. 1968. Evaluation of carcinogenic, teratogenic and mutagenic activities of selected pesticides and industrial chemicals. Vol. II. Teratogenic Study in Mice and Rats. Submitted under contracts PH 43-64-57 and PH 43-67-735 with the National Cancer Institute.
21. Bionetics Research Laboratories, Inc. 1969. Evaluation of the carcinogenic teratogenic and mutagenic activity of selected pesticides and industrial chemicals. Vol. III. Evaluation of the Teratogenic Activity of Selected Pesticides and Industrial Chemicals in Mice and Rats. Submitted under contracts PH 43-64-57 and PH 43-67-735 with the National Cancer Institute.
22. Björklund, N.E. and K. Erne. 1966. Toxicological studies of phenoxyacetic herbicides in animals. Acta Vet. Scand. 7:364-390.
23. Bodai, J., L. Tamas and A. Vehg. 1974. Reproductive consequences of exposure of cows to 2,4-D herbicide. Magy, Allatoru. Lapja. 29(5):319-322. (Bulgarian). Weed Abstr. 24(7):176, 1975.
24. Bohme, C. and W. Grunow. 1974. Über den stoffwechsel von 4 - (2,4,5-trichlorophenoxy) - buttersäure bei Ratten. Arch. Toxicol. 32:227-231.

25. Bongso, T.A. and P.K. Basrur. 1973. In vitro response of bovine cells to 2,4-dichlorophenoxy acetic acid. *In Vitro* 8:416-417.
26. Bouey, R.W. and J.D. Diaz-Colon. 1977. Selected bibliography of the phenoxy herbicides II. The substituted dibenzo-p-dioxins. MP-1323. The Texas Agricultural Experiment Station, Texas A&M University, College Station TX. 57 p.
27. Bradlaw, J.A., L.H. Garthoff, D.M. Graff, and N.E. Hurley. 1975. Detection of chlorinated dioxins: Induction of aryl hydrocarbon hydroxylase activity in rat hepatoma cell culture. *Toxicol. Appl. Pharmacol.* 33(1):166. *Pestic. Abstr.* 8(11):749-750, 1976.
28. Bucher, N.L.R. 1946. Effects of 2,4-dichlorophenoxyacetic acid on experimental animals. *Proc. Soc. Exp. Biol. Med.* 63:204-205.
29. Buselmaier, W., G. Röhrborn and P. Propping. 1973. Comparative investigations on the mutagenicity of pesticides in mammalian test systems. *Mutat. Res.* 21:25-26.
30. Buu-Hoi, N.P., P.H. Chanh, G. Sesque, M.C. Azum-Gelade and G. Saint-Ruf. 1972. Organs as targets of 'dioxin' (2,3,7,8-tetrachlorodibenzo-p-dioxin) intoxication. *Naturwissenschaften* 59:174-175.
31. Buu-Hoi, N.P., D.-P. Hien, G. Saint-Ruf, and J. Servoin-Sidoine. 1971. Tetrachlorodibenzodioxin - intimations of carcinogenicity? *Food Cosmet. Toxicol.* 9:909.

32. Carter, C.D., R.D. Kimbrough, J.A. Liddle, R.E. Cline, M.M. Zack, Jr., W.F. Barthel, R.E. Koehler and P.E. Phillips. 1975. Tetrachlorodibenzo-p-dioxin: an accidental poisoning episode in horse arenas. *Science* 188:738-740.
33. Chang, H.-C., J.W. Rip and J.H. Cherry. 1974. Effects of phenoxyacetic acid on rat liver tissues. *J. Agric. Food Chem.* 22(1):62-65.
34. Chhabra, R.S., J.M. Tredger, R.M. Philpot, and J.R. Fouts. 1974. Selection of inducers: an important factor in characterizing genetic differences to induction of aryl hydrocarbon hydroxylase in strains of mice. *Life Sci.* 15(1):123-130.
35. Clark, D.E., J.S. Palmer, R.D. Radeleff, H.R. Crookshank and F.M. Farr. 1975. Residues of chlorophenoxy acid herbicides and their phenolic metabolites in tissues of sheep and cattle. *J. Agric. Food Chem.* 23(3):573-578.
36. Claus, C. 1977. Effect of 2,4-D on survival and reproduction of *Daphnia magna* Strauss. *Weed Abstr.* 26(9):302.
37. Collins, T.F.X. and C.H. Williams. 1971. Teratogenic studies with 2,4,5-T and 2,4-D in the hamster. *Bull. Environ. Contam. Toxicol.* 6:559-567.
38. Conaway, C.C. and F. Matsumura. 1975. Alteration of cellular utilization of thymidine by TCDD (2,3,7,8-tetrachlorodibenzo-p-dioxin). *Bull. Environ. Contam. Toxicol.* 13(1):52-56.

39. Coulston, F. 1970. Working paper: 2,4,5-T. Institute of Experimental Pathology and Toxicology, Albany Medical College, Albany, N.Y. 26 p.
40. Council for Agricultural Science and Technology (CAST). 1978. The phenoxy herbicides. Second edition. Report No. 77, August 1978. 28 p.
41. Courtney, K.D. 1976. Mouse teratology studies with chlorodibenzo-p-dioxins. Bull. Environ. Contam. Toxicol. 16(6):674-681.
42. Courtney, K.D., D.W. Gaylor, M.D. Hogan, H.L. Falk, R.R. Bates and I. Mitchell. 1970. Teratogenic evaluation of 2,4,5-T. Science 168:864-866.
43. Courtney, K.D. and J.A. Moore. 1971. Teratology studies with 2,4,5-trichlorophenoxyacetic acid and 2,3,7,8-tetrachlorodibenzo-p-dioxin. Toxicol. Appl. Pharmacol. 20:396-403.
44. Cunningham, H.M. and D.T. Williams. 1972. Effects of tetrachlorodibenzo-p-dioxin on growth rate and the synthesis of lipids and proteins in rats. Bull. Environ. Contam. Toxicol. 7(1):45-51.
45. Dalgaard-Mikkelsen, Sv. and E. Poulsen. 1962. Toxicology of herbicides. Pharmacol. Rev. 14:225-250.
46. Därving, L. and K. Hultgren. 1977. Cytogenetic effects on in vivo bone-marrow cells of mus musculus induced by a commercial 2,4,5-T ester product. Hereditas 85:123-134.

47. Dencker, L. 1976. The herbicide 2,4,5-T: early placental barrier and accelerated fetal uptake with advancing gestation. Chapter IV. In Tissue localization of some teratogens at early and late gestation related to fetal effects. Acta Pharmacol. Toxicol. 39(1):5-8, 59-72.
- ~~48.~~ Diaz-Colon, J.D. and R.W. Bovey. 1977. Selected bibliography of the phenoxy herbicides, III. Toxicological studies in animals. MP-1343. The Texas Agricultural Experiment Station; College Station, Texas; The Texas A&M University System. 105 p.
- ~~49.~~ Di Giovanni, J., A. Viaje, D.L. Berry, T.J. Slaga and M.R. Jucau. 1977. Tumor-initiating ability of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and arochlor 1254 in the two-stage system of mouse skin carcinogenesis. Bull. Environ. Contam. Toxicol. 18(5):552-557.
- ~~50.~~ Dougherty, W.H., F. Coulston and L. Golbert. 1973. Non-teratogenicity of 2,4,5-trichlorophenoxyacetic acid in monkeys (macaca mulatta). Toxicol. Appl. Pharmacol. 25(3):442.
- ~~51.~~ Dougherty, W.H., M. Herbst, and F. Coulston. 1975. The non-teratogenicity of 2,4,5-trichlorophenoxyacetic acid in the rhesus monkey (Macaca mulatta). Bull. Environ. Contam. Toxicol. 13(4):477-482. Pestic. Abstr. 8(8):526, 1975.
52. Drill, V.A. and T. Hiratzka. 1953. Toxicity of 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid: a report on

their acute and chronic toxicity in dogs. Arch. Ind. Hyg. Occup. Med. 7:61-67.

53. Ebron, M. and K.D. Courtney. 1976. Difference in 2,4,5-T distribution in fetal mice and guinea pigs. Toxicol. Appl. Pharmacol. 37:144-145.
54. Efimenko, L.P. 1974. Materials for assessing the gonadotropic and mutagenic action of the herbicide 2,4,5-T butylester. Gig. Tr. Prof. Zabol. 18(4):24-27. (Russian).
55. Elo, H. and P. Ylitalo. 1977. Substantial increase in the levels of chlorophenoxyacetic acids in the CNS of rats as a result of severe intoxication. Acta Pharmacol. Toxicol. 41:280-284.
56. Emerson, J.L., D.L. Thompson, C.G. Gerbig, and V.B. Robinson. 1970. Teratogenic study of 2,4,5-trichlorophenoxyacetic acid in the rat. Toxicol. Appl. Pharmacol. 17:317.
57. Emerson, J.L., D.J. Thompson, R.J. Strebing, C.G. Gerbig and V.B. Robinson. 1971. Teratogenic studies on 2,4,5-trichlorophenoxyacetic acid in the rats and rabbit. Food Cosmet. Toxicol. 9:395-404.
58. Epstein, S.S. 1972. Environmental pathology. A Review. Am. J. Pathol. 66(2):352-373.
59. Epstein, S.S. 1973. Teratological hazards due to phenoxy herbicides and dioxin contaminants. In Pollution: Engineering and scientific

- solutions. N.S. Barrekette (Ed.). Plenum Press; New York, N.Y.
P. 708-729. Weed Abstr. 22(1):23, 1973.

60. Epstein, S.S., E. Arnold, J. Andrea, W. Bass and Y. Bishop. 1972.
Detection of chemical mutagens by the dominant lethal assay in
the mouse. Toxicol. Appl. Pharmacol. 23:288-325.

61. Erne, K. 1966. Distribution and elimination of chlorinated
phenoxyacetic acids in animals, Acta Vet. Scand. 7:240-256.

62. Erne, K. 1966. Studies on the animal metabolism of phenoxyacetic
herbicides. Acta Vet. Scand. 7:264-271.

63. Erne, K. 1974. Herbicides and wild animals - several recent
findings: Starting point of the investigations - reindeer deaths
in Lapland. Z. Jagdwiss. 20(1):68-70.

64. Fang, S.C., E. Fallin, M.L. Montgomery and V.H. Freed. 1973. The
metabolism and distribution of 2,4,5-trichlorophenoxyacetic acid
in female rats. Toxicol. Appl. Pharmacol. 24:555-563.

65. Fedorova, L.M. and R.S. Belova. 1974. Incorporation of 2,4-
dichlorophenoxyacetic acid into the organs of animals: paths and
dynamics of its excretion. Gig. i Sanit. 2:105-107.

66. Felton, J.S. and D.W. Nebert. 1975. Mutagenesis of certain
activated carcinogens in vitro associated with genetically mediated

- increases in monooxygenase activity and cytochrome P, -450. J. Biol. Chem. 250(17):6769-6778.
67. Florsheim, W.H. and S.M. Velcoff. 1962. Some effects of 2,4-dichloro-phenoxyacetic acid on thyroid function in the rat: effects on iodine accumulation. Endocrinology. 71:1-6.
68. Fowler, B.A., G.E.R. Hook, and G.W. Lucier. 1975. Tetrachlordibenzo-p-dioxin induction of renal microsomal enzyme systems. Toxicol. Appl. Pharmacol. 33(1):176-177.
69. Fires, G.F. and G.S. Marrow. 1975. Retention and excretion of 2,3,7,8-tetrachlorodibenzo-p-dioxin by rats. J. Agr. Food Chem. 23:265-269.
70. Froberg, H., J. Gleich and A. Hofmann. 1975. Investigations on the embryotoxic effect of 2,4,5-T in NMRI mice. Teratology. 10(3):309.
71. Fujita, K, H. Fujita and Z. Funasaki. 1975. Cytogenetic studies of 2,4,5T related substances. (Japanese) Nippon Noson Igakkai Zasshi. 24(3):432-433. Pestic. Abstr. 9(2):117, 1976.
72. Gale, T.F. and V.H. Ferm. 1973. Effects of the herbicide 2,4,5-T and Pyrazon on embryogenesis in the hamster. Anat. Rec. 175(2):503.
73. Gasiewicz, T.A. and R.A. Neal. 1978. Tissue distribution and excretion of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and

effects upon clinical chemical parameters in the guinea pig. Fed. Proc. 37(3):501.

74. Gehring, P.J., C.G. Kramer, B.A. Schwetz, J.Q. Rose and V.K. Rowe. 1973. The fate of 2,4,5-trichlorophenoxyacetic acid (2,4,5-T) following oral administration to man. Toxicol. Appl. Pharmacol. 26:352-361.
75. Gehring, P.J., P.G. Watanabe, and G.E. Blau. 1976. Pharmacokinetic studies in evaluation of the toxicological and environmental hazard of chemicals. In: Advances in Modern Toxicology, Volume 1, Part 1: New concepts in safety evaluation. M.A. Mehlman, R.E. Shapiro, and H. Blumenthal (Eds.). John Wiley & Sons, New York, N.Y. P. 227-235.
76. Goldstein, J.A., P. Hickman, H. Bergman and J.G. Vos. 1973. Hepatic porphyria induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in the mouse. Res. Commun. Chem. Path. Pharmacol. 6:919-928.
77. Goldstein, H.E. and J.F. Long. 1958. Observations on domestic animals exposed to herbicide spray applications of 2,4-D, 2,4,5-T and dalapon. Proc. North Cent. Weed Control Conf. 15:28-29.
78. Green, S. 1977. Cytogenetic effect of 2,3,7,8-tetrachlorodibenzo-p-dioxin on rat bone marrow cells. FDA B-lines, Washington, D.C., Food and Drug Administration (in press).

79. Green, S. and F.S. Moreland. 1975. Cytogenetic evaluation of several dioxins in the rat. *Toxicol. Appl. Pharmacol.* 33:161.
80. Green, S., F. Moreland, and C. Sheu. 1977. Cytogenetic effect of 2,3,7,8-tetrachlorodibenzo-p-dioxin on rat bone marrow cells. *FDA By-Liner* 7(6):292-294.
81. Greig, J.B. 1972. Effect of 2,3,7,8-tetrachlorodibenzo-1,4-dioxin on drug metabolism in the rat. *Biochem. Pharmacol.* 21:3196-3198. *Health Aspects Pestic.* 6(6):314, 1973.
82. Greig, J.B., G. Jones, W.H. Butler and J.M. Barnes. 1973. Toxic effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Food Cosmet. Toxicol.* 11:585-595.
83. Greig, J.B., D.M. Taylor, and J.D. Jones. 1974. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on stimulated DNA synthesis in the liver and kidney of the rat. *Chem. Biol. Interact.* 8(1):31-39.
84. Grunow, W. and C. Böhme. 1974. Über den Stoffwechsel von 2,4,5-T und 2,4-D bei Ratten und Mäusen. *Arch. Toxicol.* 32:217-225.
85. Grunow, W., C. Böhme and B. Budczies. 1971. Renale Ausscheidung von 2,4,5-T bei Ratten. *Food Cosmet. Toxicol.* 9:667-670.
86. Guiney, P.D., K.H. Yang, J.L. Seymour, and R.E. Peterson. 1978. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on the distribution

and biliary excretion of polychlorinated biphenyls in rats.

Toxicol. Appl. Pharmacol. 45:403-414.

87. Gupta, B.N., J.G. Vos, J.A. Moore, J.G. Zinkl and B.C. Bullock. 1973. Pathologic effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin in laboratory animals. Environ. Health Perspect. 5:125-140.
88. Guseva, E.N. 1956. Pharmacology of 2,4-D. Farmakol. Toksikol. Moscow 19:41-44. (Russian). Chem. Abstr. 50:17201h, 1956.
89. Gutenmann, W.H., D.D. Hardee, R.F. Holland, D.J. Lisk. 1963. Disappearance of 4-(2,4-dichlorophenoxybutyric) acid herbicide in the dairy cow. J. Dairy Sci. 46:991-992.
90. Hansen, W.H., M.L. Quaife, R.T. Habermann and O.G. Fitzhugh. 1971. Chronic toxicity of 2,4-dichlorophenoxyacetic acid in rats and dogs. Toxicol. Appl. Pharmacol. 20:122-129.
91. Harris, M.W., J.A. Moore, J.G. Vos and B.N. Gupta. 1973. General biological effects of TCDD in laboratory animals. Environ. Health Perspect. 5:101-109.
92. Hart, E.R. and M.G. Valerio. 1972. Teratogenic effects of 2,4,5-T in mice. Toxicol. Appl. Pharmacol. 22(2):317.
93. Highman, B., T.B. Gaines and H.J. Schumacher. 1976. Sequential histopathologic, hematologic and blood chemistry changes induced in mice by a technical and a purified preparation of 2,4,5-trichloro-

phenoxyacetic acid. J. Toxicol. Environ. Health. 1(3):469-484.

94. Highman, B., T.B. Gaines and H.J. Schumacher. 1977. Retarded development of fetal renal alkaline phosphatase in mice given 2,4,5-trichlorophenoxyacetic acid. J. Toxicol. Environ. Health 2:1007-1018.
95. Highman, B., T.B. Gaines, H.J. Schumacher and T.J. Haley. 1976. Strain differences in histopathologic, hematologic and blood chemistry changes induced in mice by a technical and a purified preparation of 2,4,5-trichlorophenoxyacetic acid. J. Toxicol. Environ. Health 1(6):1041-1054.
96. Hill, E.V. and H. Carlisle. 1947. Toxicity of 2,4-dichlorophenoxyacetic acid for experimental animals. J. Ind. Hyg. Toxicol. 29(2):85-95.
97. Hook, G.E.R., J.K. Haseman and G.W. Lucier. 1975. Induction and suppression of hepatic and extra-hepatic microsomal foreign-compound-metabolizing enzyme systems by 2,3,7,8-tetrachlorodibenzo-p-dioxin. Chem.-Biol. Interact. 10:199-214.
98. Hook, G.E.R., T.C. Orton, J.A. Moore, and G.W. Lucier. 1975. 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced changes in the hydroxylation of biphenyl by rat liver microsomes. Biochem. Pharmacol. 24(3):335-340.
99. Hook, J.B., M.D. Bailie, J.T. Johnson and P.J. Gehring. 1974. In vitro analysis of transport of 2,4,5-trichlorophenoxyacetic acid

by rat and dog kidney. Food Cosmet. Toxicol. 12(2):209-218.

100. Huff, J.E. and J.S. Wasson. 1974. Hazardous contaminants: Chlorinated dibenzodioxins and chlorinated dibenzofurans. In: Environmental Chemicals - Human and Animal Health. Proc. 2nd Ann. Conf., held at Colorado State Univ., Ft Collins, Colo., July 25-29, 1973. Spons. by Colo. State Univ., Coll. Vet. Med. and Biomed. Sci., Int. Rur. Environ. Develop. and Div. Pestic. Progr., Environmental Protection Agency. E.P. Savage (Ed) P. 175-197.
101. Huff, J.E. and J.S. Wasson. 1974. Health hazards from chemical impurities: Chlorinated dibenzodioxins and chlorinated dibenzofurans. Int. J. Environ. Stud. 6:13-17.
102. Hussain, S., L. Ehrenberg, G. Löfroth and T. Gejvall. 1972. Mutagenic effects of TCDD on bacterial systems. Ambio. 1:32-33.
103. Innes, J.R.M., B.M. Ulland, M.G. Valerio, L. Petrucelli, L. Fishbein, E.R. Hart, A.J. Pallotta, R.R. Bates, H.L. Falk, J.J. Gart, M. Klein, I. Mitchell and J. Peters. 1969. Bioassay of pesticides and industrial chemicals for tumorigenicity in mice: a preliminary note. J. Nat. Cancer Inst. 42:1101-1114.
104. International Agency for Research on Cancer Monographs on the Evaluation of the carcinogenic risk of chemicals to man. Vol 15. Some fumigants, the herbicides 2,4-D and 2,4,5-T, chlorinated dibenzodioxins and miscellaneous industrial chemicals. Lyon, France.

- ~~105.~~ Jackson, W.T. 1972. Regulation of mitosis. III. Cytological effects of 2,4,5-T and of dioxin contaminants in 2,4,5-T formulations. J. Cell Sci. 10:15-25. Health Aspects Pestic. 6(4):202, 1973.
- ~~106.~~ Jenssen, D. and L. Renberg. 1976. Distribution and cytogenetic test of 2,4-D and 2,4,5-T phenoxyacetic acids in mouse blood tissues. Chem. - Biol. Interact. 14:291-299.
- ~~107.~~ Jones, E.L. and H. Kizek. 1962. A technique for testing acnegenic potency in rabbits, applied to the potent acnegen, 2,3,7,8-tetrachlorodibenzo-p-dioxin. J. Invest. Dermatol. 9:511-517.
- ~~108.~~ Jones, G. 1975. A histochemical study of the liver lesion induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin (dioxin) in rats. J. Pathol. 116:101-105.
- ~~109.~~ Jones, G. and W.H. Butler. 1974. A morphological study of the liver lesion induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in rats. J. Pathol. 112(2):93-97.
110. Jones, G. and J.B. Greig. 1975. Pathological changes in the liver of mice given 2,3,7,8-tetrachlorodibenzo-p-dioxin. Experimentia 31(11):1315-1317.
111. Kay, J.H., R.J. Palazzolo and J.C. Calandra. 1965. Subacute dermal toxicity of 2,4-D. Arch. Environ. Health. 11:648-651.

- ~~112.~~ Khanna, S. and S.C. Fang. 1966. Metabolism of C^{14} - labeled 2,4-dichlorophenoxyacetic acid in rats. J. Agric. Food Chem. 14:500-503.
- ~~113.~~ Khera, K.S. and W.P. McKinley. 1972. Pre- and postnatal studies on 2,4,5-trichlorophenoxyacetic acid, 2,4-dichlorophenoxyacetic acid and their derivatives in rats. Toxicol. Appl. Pharmacol. 22(1):14-28.
- ~~114.~~ Khera, K.S. and J.A. Ruddick. 1973. Polychlorodibenzo-p-dioxins: perinatal effects and the dominant lethal test in Wistar rats. Advan. Chem. Ser. 120:70-84.
- ~~115.~~ King, C.T.G., E.A. Horigan and A.L. Wilk. 1971. Screening of the herbicides 2,4,5-T and 2,4-D for cleft palate production. Teratology 4:233.
- ~~116.~~ Kociba, R.J., P.A. Keeler, C.N. Park and P.J. Gehring. 1976. 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD): results of a 13-week oral toxicity study in rats. Toxicol. Appl. Pharmacol. 35(3):553-574.
- ~~117.~~ Kociba, R.J., D.G. Keyes, J.E. Beyer, R.M. Carreon, C.E. Wade, D.A. Dittenber, R.P. Kalnins, L.E. Frauson, C.N. Park, S.D. Barnard, R.A. Hummel and C.G. Humiston. 1977. Results of a two year chronic toxicity and oncogenicity study of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in rats. Toxicol. Appl. Pharmacol. (In press).
- ~~118.~~ Kondorosi, A., I. Fedorcsak, F. Solymosy, L. Ehrenberg and S. Osterman-Golkar. 1973. Inactivation of QB RNA by electrophiles.

~ Mutat. Res. 17(2):149-161.

119. Konstantinova, T.K. 1970. Toxicology and some problems of the embryotropic action of the butyl ester of 2,4-D. In Vygodchikov, G.V., ed., Proceedings of a Conference on Problems on Hygiene and Toxicology of Pesticides, USSR, 1967, Moscow, Meditsina, pp 177-179.
120. Konstantinova, T.K. 1974. Experiments on the effects of 2,4,5-T butyl ester on pregnant animals and on the development of their offspring. (Russian) Gig. Sanit. 39(8):101-102.
121. Koschier, F.J. and W.O. Berndt. 1976. Specificity of 2,4,5-trichlorophenoxyacetate on tetraethylammonium transport. Toxicol. Appl. Pharmacol. 38(2):297-306.
122. Kouri, R.E., H. Ratrie, III, S.A. Atlas, A. Niwa and D.W. Nebert. 1974. Aryl hydrocarbon hydroxylase induction in human lymphocyte cultures by 2,3,7,8-tetrachlorodibenzo-p-dioxin. Life Sci. 15(9):1585-1895.
123. Kouri, R.E., R.A. Salerno and C.E. Whitmire. 1973 Relationships between aryl hydrocarbon hydroxylase inducibility and sensitivity to chemically induced subcutaneous sarcomas in various strains of mice. J. Natl. Cancer Inst. 50(2):363-368.
124. Leng, M.L. 1972. Residues in milk and meat and safety to livestock from the use of phenoxy herbicides in pasture and rangeland.

Down-to-Earth 28(1):12-20. Health Aspects Pestic. 5(11):536, 1972.

125. Leyland, A. 1975. A case of 2,4,5-T poisoning in the dog. Vet. Rec. 92(6):149-150. Pestic. Abstr. 7(2):78, 1974. Weed Abstr. 24(4):83, 1975.
126. Lindquist, N.G. 1974. An autoradiographic study on the distribution of the herbicide 4-chloro-2-methylphenoxyacetic acid in pregnant mice. Toxicol. Appl. Pharmacol. 30(2):227-236.
127. Lindquist, N.G. and S. Ullberg. 1971. Distribution of the herbicides 2,3,5-T and 2,4-D in pregnant mice: accumulation in the yolk sac epithelium. Experientia 27:1439-1441.
128. Lisk, D.J., W.H. Gutenmann, C.A. Bache, R.G. Warner, D.G. Wagner. 1963. Elimination of 2,4-D in the urine of steers fed 4-(2,4-DB) or 2,4-D. J. Dairy Sci. 46:1435-1437.
129. Lloyd, J.B. and F. Beck. 1969. The mechanism of teratogenic action of trypan blue. In Bertelli, A., ed., Proceedings of the International Symposium on Teratology, Como, Italy, 1967. Amsterdam, Excerpta Medica, pp 145-151.
130. Lucier, G.W., O.S. McDaniel and G.E.R. Hook. 1975. Nature of the enhancement of hepatic uridine diphosphate glucuronyltransferase activity by 2,3,7,8-tetrachlorodibenzo-p-dioxin in rats. Biochem. Pharmacol. 24(3):325-334.

131. Lucier, G.W., B.R. Sonawane, O.S. McDaniel and G.E.R. Hook. 1975. Postnatal stimulation of hepatic microsomal enzymes following administration of TCDD to pregnant rats. Chem.-Bio. Interact. 11(1):15-26.
132. Majumdar, S.K. and R.C. Hall. 1973. Cytogenic effects of 2,4,5-T on in vivo bone marrow cells of Mongolian gerbils. J. Heredity. 64:213-216.
133. Marguardt, H., J.E. Sodergren, P. Sims and P.L. Grover. 1974. Malignant transformation in vitro of mouse fibroblasts by 7, 12-dimethyl benz(a) anthracene and 7-hydroxymethyl benz(a) anthracene and by their k-region derivatives. Int. J. Cancer. 13:304-310.
134. Mason, R.W. 1972. The binding of some chlorophenoxy acids to bovine serum albumin in vitro. Proc. Univ. Otago Med. Sch. 50(3):61-63.
135. McConnell, E.E., J.A. Moore and D.W. Dalgard. 1978. Toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin in Rhesus monkeys (macaca mulatta) following a single oral dose. Toxicol. Appl. Pharmacol. 43:175-187.
136. McLennan, M.W. 1974. 2,4-D toxicity in dairy cattle. Australian Vet. J. 50(12):578. Pestic. Abstr. 9(2):88.
137. McNulty, W.P. 1977. PCB poisoning in Rhesus monkeys. Primate News. 15(1):2-7.

138. McNulty, W.P. 1977. Toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin for Rhesus Monkeys: Brief report. Bull. Environ. Contam. Toxicol. 18(1):108-109.
139. Millard, S.A., M.B. Hart and J.F. Shimek. 1973. Enzymes controlling cerebral DNA synthesis: Response to 2,4,5-trichlorophenoxyacetic acid and hexachlorophene. Biochim. Biophys. Acta 308(2):230-233. Health Aspects Pestic. 6(8):426, 1973.
140. Minarik, C.E. 1970. Evaluation of NIEHS data on teratogenicity of 2,4,5-T and dioxin. In personal letter to the Office of Assistant Chief of Staff for Force Development, Dept. of the Army, Wash., D.C. April 27, 1970.
141. Mitchell, J.W., R.E. Hodgson and C.F. Gaetjens. 1944. Tolerance of farm animals to feed containing 2,4-D. J. Anim. Sci. 5:226-232.
142. Moore, J.A., B.N. Gupta, J.G. Zinkl and J.G. Vos. 1973. Postnatal effects of maternal exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Environ. Health Perspect. 5:81-85.
143. Mullison, W.R. 1973. Herbicides - are they safe? Down-to-Earth 29(3):7-11.
144. Muranyi-Kovacs, I., G. Rudali and J. Imbert. 1976. Bioassay of 2,4,5-trichlorophenoxyacetic acid for carcinogenicity in mice. Brit J. Cancer. 33:626-633.

145. Murray, F.J., F.A. Smith, K.D. Nitschke, C.G. Humiston, R.J. Kociba and B.A. Schwetz. 1977. Three-generation reproduction study of rats ingesting 2,3,7,8-tetrachlorodibenzo-p-dioxin. Toxicol. Appl. Pharmacol. 35(1):139-140.
146. Nagy, Z., I. Mile and F. Antoni. 1975. The mutagenic effect of pesticides on Escherichia coli WP2 try. Acta Microbiol. Acad. Sci. Hung. 22:309-314.
147. Neubert, D. 1976. Some remarks to the toxicity of polychlorinated dibenzo-dioxins. In Proceedings of the Congress of the European Teratology Society, Gaspiano, 1976 (in press).
148. Neubert, D. and I. Dillmann. 1972. Embryotoxic effects in mice treated with 2,4,5-trichlorophenoxyacetic acid and 2,4,7,8-tetrachlorodibenzo-p-dioxin. Naunyn-Schmiedeberg's Arch. Pharmacol. Exp. Pathol. 272(3):243-264.
149. Neubert, D., P. Zens, A. Rothenwallner and H.-J. Merker. 1973. A survey of the embryotoxic effects of TCDD in mammalian species. Environ. Health Perspect. 5:67-79.
150. Nishizumi, M. 1978. Acute toxicity of polychlorinated dibenzofurans in CF-1 mice. Toxicol. Appl. Pharmacol. 45:209-212.
151. Niwa, A., K. Kumaki, and D.W. Nebert. 1975. Induction of aryl hydrocarbon hydroxylase activity in various cell cultures by 2,3,7,8-tetrachlorodibenzo-p-dioxin. Mol. Pharmacol. 11(4):399-408.

Pestic. Abstr. 8(10):685, 1976.

152. Niwa, A., K. Kumaki, D.W. Nebert, and A.P. Poland. 1975. Genetic expression of aryl hydrocarbon hydroxylase activity in the mouse. Arch. Biochem. Biophys. 166(2):559-564.
153. Norback, D.H. and J.R. Allen. 1973. Biological responses of the nonhuman primate, chicken and rat to chlorinated dibenzo-p-dioxin ingestion. Environ. Health Perspect. 5:233-240.
154. Palmer, J.S. 1963. Chronic toxicity of 2,4-D alkanolamine salts to cattle. J. Am. Vet. Med. Assoc. 143(4):398-399.
155. Palmer, J.S., D.E. Clark and L.M. Hunt. 1964. Toxicologic effects of silvex on yearling cattle. J. Am. Vet. Med. Assoc. 144(7):750-755.
156. Palmer, J.S. and R.D. Radeleff. 1964. The toxicologic effects of certain fungicides and herbicides on sheep and cattle. Ann. N. Y. Acad. Sci. 111:729-736.
157. Pegg, D.G., W.R. Hewitt, K.M. McCormack and J.B. Hook. 1976. Effect of 2,3,7,8-tetrachlorodibenzo-p-dioxin on renal function in the rat. J. Toxicol. Environ. Health. 2(1):55-65.
158. Pilinskaya, M.A. 1974. Cytogenetic effect of the herbicide 2,4-D on human and animal chromosomes. (Russian) Tsitol. Genet. 8(3):202-206. Pestic. abstr. 9(7):523, 1976.

159. Piper, W.N. and J.Q. Rose. 1971. The excretion and tissue distribution of 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat. Amer. Chem. Soc., Abstr. Pap., 162nd Nat. Meet., Pestic. Chem. Sec., Abstr. No. 88.
160. Piper, W.N., J.Q. Rose and P.J. Gehring. 1973. Excretion and tissue distribution of 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat. Advan. Chem. Ser. 120:85-91.
161. Piper, W.N., J.Q. Rose, M.L. Leng and P.J. Gehring. 1973. The fate of 2,4,5,5-trichlorophenoxyacetic acid (2,4,5-T) following oral administration to rats and dogs. Toxicol. Appl. Pharmacol. 26:339-351.
162. Pohl, R.J., R.M. Philpot and J.R. Fouts. 1976. Cytochrome P-450 content and mixed-function oxidase activity in microsomes isolated from mouse skin. Drug Metab. Dispos. 4(5):442-450. Pestic. Abstr. 10(1):23-24, 1977.
163. Pohlheim, E., F. Pohlheim and G. Gunther. 1977. Mutagenicity testing of herbicides with a haploid pelargonium. Mutat. Res. 46(3):232. Pestic. Abstr. 10(9):503-504, 1977.
164. Poland, A. and E. Glover. 1973. Chlorinated dibenzo-p-dioxins: Potent inducers of δ -aminolevulinic acid synthetase and aryl hydrocarbon hydroxylase. II. A study of the structure-activity relationship. Mol. Pharmacol. 9(6):736-747.

165. Poland, A. and E. Glover. 1973. Studies on the mechanism of toxicity of the chlorinated dibenzo-p-dioxins. Environ. Health Perspect. 5:245-251. Pestic Abstr. 7(3):148-149, 1974.
166. Poland, A. and E. Glover. 1973. 2,3,7,8-tetrachlorodibenzo-p-dioxin: A potent inducer of δ -aminolevulinic acid synthetase. Science 179:476-477.
167. Poland, A. and E. Glover. 1974. Comparison of 2,3,7,8-tetrachlorodibenzo-p-dioxin, a potent inducer of aryl hydrocarbon hydroxylase, with 3-methylcholanthrene. Molec. Pharmacol. 10:349-359.
168. Poland, A. and E. Glover. 1974. Genetic expression of aryl hydrocarbon hydroxylase activity. Induction of monooxygenase activities and cytochrome P₁-450 formation by 2,3,7,8-tetrachlorodibenzo-p-dioxin in mice genetically "nonresponsive" to other aromatic hydrocarbons. J. Biol. Chem. 249(17):5599-5606. Pestic. Abstr. 7(12):794, 1974.
169. Poland, A. and E. Glover. 1975. Genetic expression of aryl hydrocarbon hydroxylase by 2,3,7,8-tetrachlorodibenzo-p-dioxin: Evidence for a receptor mutation in genetically nonresponsive mice. Mol. Pharmacol. 11(4):389-398. Pestic. Abstr. 8(10):684-685, 1976.

170. Poland, A., E. Glover and A.S. Kende. 1976. Stereo-specific, high affinity binding of 2,3,7,8-tetrachlorodibenzo-p-dioxin by hepatic cytosol. J. Bio. Chem. 251(16):4936-4946. Pestic Abstr. 10(1):27, 1977.
171. Poland, A. and A. Kende. 1976. 2,3,7,8-tetrachlorodibenzo-p-dioxin: an environmental contaminant and molecular probe. Fed. Proc. 35(12):2404-2411.
172. Putnam, J. and K.D. Courtney. 1976. Metabolic studies with TCDD (Dioxin) treated rats. Toxicol. Appl. Pharmacol. 27(1):170. Pestic. Abstr. 9(11):801, 1976.
173. Radeleff, R.D. 1970. Herbicides, desiccants, plant growth regulators and fungicides, p 264-297. In Veterinary Toxicology. Lea and Febiger; Philadelphia. 352 p.
174. Rip, J.W. and J.H. Cherry. 1976. Liver enlargement induced by the herbicide 2,4,5-trichlorophenoxyacetic acid (2,4,5-T). J. Agric. Food Chem. 24(2):245-250.
175. Roberts, R.E. and B.J. Rogers. 1957. The effect of 2,4,5-T brush spray on turkeys. Mim. ID-13. 2 p. Purdue Univ., Agric. Exp. Stor.; Lafayette, Ind.
176. Robson, J.M. 1970. Testing drugs for teratogenicity and their effects on fertility. Br. Med. Bull. 26(3):212-216.

177. Roll, R. 1971. Studies of the teratogenic effect of 2,4,5-T in mice. Food Cosmet. Toxicol. 9(5):671-676.
178. Roll, R. 1973. Toxicological evaluation of special organochlorinated compounds. Environ. Qual. Saf. 2:117-124.
179. Rose, J.Q., J.C. Ramsey, T.H. Wentzler, R.A. Hummel and P.J. Gehring. 1975. The fate of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) following single or repeated oral doses to rats. Toxicol. Appl. Pharmacol. 33(1):183. Pestic. Abstr. 8(11):751, 1976.
180. Rose, J.Q., J.C. Ramsey, T.H. Wentzler, R.A. Hummel and P.J. Gehring. 1976. The fate of 2,4,7,8-tetrachlorodibenzo-p-dioxin following single and repeated oral doses to the rat. Toxicol. Appl. Pharmacol. 36:209-226.
181. Rowe, V.K. and T.A. Hymas. 1954 Summary of toxicological information of 2,4-D and 2,4,5-T type herbicides and an evaluation of the hazards to livestock associated with their use. Amer. J. Vet. Res. 15:(57)622-629.
182. Sadykov, R.E., V.K. Rabochev and Yu. N. Stokov. 1972. The effect of 2,4-DB used for the treatment of pastures on the reproductive function of sheep. (Russian) Zhivotnovodstvo 34(2):73-74.
183. Sauerhoff, M.W., W.H. Braun, G.E. Blau and P.J. Gehring. 1976. The dose-dependent pharmacokinetic profile of 2,4,5-trichloro-

phenoxyacetic acid following intravenous administration to rats.
Toxicol. Appl. Pharmacol. 36:491-501.

184. Schiller, K. 1964. Beeinflussung der Fertilität von Ratten durch Stoffe mit Sonderwirkung im Kartoffelbau. (German) Landbauforsch. Völkenrode 14(2):111-114.
185. Schillinger, J.I. 1960. Hygienische Wertung von landwirtschaftlichen Erzeugnissen, angebaut unter Anwendung von Herbiziden. (Praha) J. Hyg. Epidemiol. 4:243-252.
186. Schulz, K.H. 1968. Zur Klinik und Aetiologie der Chlorakne. Arbeitsmed. (German) Sozialmed Arbeitshyg. 3:25-29.
187. Schwetz, B.A., J.M. Norris, G.L. Sparschu, V.K. Rowe, P.J. Gehring, J.L. Emerson and C.G. Gerbig. 1973. Toxicity of chlorinated dibenzo-p-dioxins. Environ. Health Perspect. 5:87-99.
188. Schwetz, B.A., J.M. Norris, G.L. Sparschu, V.K. Rowe, P.J. Gehring, J.L. Emerson and C.G. Gerbig. 1973. Toxicology of chlorinated dibenzo-p-dioxins. Advan. Chem. Ser. 120:55-69.
189. Schwetz, B.A., G.L. Sparschu, P.J. Gehring. 1971. The effect of 2,4-dichlorophenoxyacetic acid (2,4-D) and esters of 2,4-D on rat embryonal, fetal and neonatal growth and development. Food Cosmet. Toxicol. 9:801-817.
190. Seabury, J.H. 1963. Toxicity of 2,4-dichlorophenoxyacetic acid

for man and dog. Arch. Environ. Health. 7:202-209.

191. Seiler, J.P. 1973. A survey on the mutagenicity of various pesticides. *Experientia* 29:622-623.
192. Shavgulidze, M.M., V.I. Nanobashvili and M.N. Mirianashvili. 1976. Toxicity of the herbicide 2,4-D. (Russian) *Veterinariya* 4:103-104. *Pestic. Abstr.* 9(11):805, 1976.
193. Shirasu, Y. 1975. Significance of mutagenicity testing on pesticides. *Environ. Qual. Saf.* 4:226-231.
194. Shirasu, Y., M. Moriya, K. Kato, A. Furuhashi and T. Kada. 1976. Mutagenicity screening of pesticides in the microbial system. *Mutation Res.* 40:19-30.
195. Sinclair, P.R. and S. Granick. 1974. Uroporphyrin formation induced by chlorinated hydrocarbons (lindane, polychlorinated biphenyls, tetrachlorodibenzo-p-dioxin). Requirements for endogenous iron, protein synthesis and drug-metabolizing activity. *Biochem. Biophys. Res. Commun.* 61(1):124-133. *Pestic. Abstr.* 8(2):84-85, 1975.
196. Sjöden, P.O. and U. Söderberg. 1972. Sex-dependent effects of prenatal 2,4,5-trichlorophenoxyacetic acid on rats openfield behavior. *Physiol Behav.* 9(3):357-360. *Health Aspects Pestic.* 6(8):441, 1973.

197. Sjöden, P.O. and U. Söderberg. 1975. Long-lasting effects of prenatal 2,4,5-trichlorophenoxyacetic acid on open-field behavior in rats: Pre- and postnatal mediation. *Physiol. Psychol.* 3(2):175-178.
198. Smith, F.A., B.A. Schwetz and K.D. Nitschke. 1976. Teratogenicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin in CF-1 mice. *Toxicol. Appl. Pharmacol.* 38:517-523.
199. Sokolik, I. Yu. 1973. Effects of 2,4,5-trichlorophenoxyacetic acid and its butyl ester on embryogenesis of rats. (Russian) *Byull. Eksp. Biol. Med.* 76(7):90-92.
200. Somers, J.D., E.T. Moran, Jr., and B.S. Rheinhardt. 1978. Hatching success and early performance of chicks from eggs sprayed with 2,4-D, 2,4,5-T and picloram at various stages of embryonic development. *Bull. Environ. Contam. Toxicol.* 20:289-293.
201. Sparschu, G.L., F.L. Dunn, R.W. Lisowe and V.K. Rowe. 1971. Study of the effects of high levels of 2,4,5-trichlorophenoxyacetic acid on fetal development in the rat. *Food Cosmet. Toxicol.* 9:527-530.
202. Sparschu, G.L., F.L. Dunn and V.K. Rowe. 1971. Study of the teratogenicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat. *Food Cosmet. Toxicol.* 9:405-412.
203. Sterling, T.D. 1971. Difficulty of evaluating the toxicity and teratogenicity of 2,4,5-T from existing animal experiments.

Science 174(4016):1358-1359. Weed Abstr. 21(5):417, 1972.

204. Sterling, T.D. 1975. Toxic and teratogenic effect of 2,4,5-trichlorophenoxyacetic acid and 2,3,7,8-tetrachlorodibenzo-p-dioxin. (Summary of evidence presented to the Royal Commission Hearings on Herbicides and Pesticides, 16 July 1974 and to Hearings of the Assembly Committee on Natural Resources of the State of Wisconsin; 19 March 1975.) 24 p.
205. Stupnikov, A.A. 1966. Comparative toxicity of chemicals and mineral fertilizers. Translations on USSR Agr. No. 163, U.S. Dept. of Commerce, Joint Publications Research Service, Lesnoye Khozyaystvo (Forestry) 7:29-31.
206. Styles, J.A. 1973. Cytotoxic effects of various pesticides in vivo and in vitro. Mutat. Res. 21(1):50-51.
207. Thigpen, J.E., R.E. Faith, E.E. McConnell and J.A. Moore. 1975. Increased susceptibility to bacterial infection as a sequela of exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. Infect. Immun. 12:1319-1324.
208. Tóth, K., J. Sugár, S. Somfai-Relle and J. Bence. 1978. Carcinogenic bioassay of the herbicide, 2,4,5-trichlorophenoxyethanol (TCPE) with different 2,3,7,8-tetrachlorodibenzo-p-dioxin (dioxin) content in Swiss mice. Prog. Biochem. Pharmacol. 14:82-93.
209. Van Miller, J.P. and J.R. Allen. 1977. Chronic toxicity of 2,3,7,8-

tetrachlorodibenzo-p-dioxin in rats. Fed. Proc. 36:396.

210. Van Miller, J.P., J.J. Lalich and J.R. Allen. 1977. Increased incidence of neoplasms in rats exposed to low levels of 2,3,7,8-tetrachlorodibenzo-p-dioxin. Chemosphere 9:537-544.
211. Van Miller, J.P., R.J. Marlar and J.R. Allen. 1976. Tissue distribution and excretion of tritiated tetrachlorodibenzo-p-dioxin in non-human primates and rats. Food Cosmet. Toxicol. 14:31-34. Pestic. Abstr. 9(6):421, 1976.
212. Vinopal, J.H. and J.E. Casida. 1973. Metabolic stability of 2,3,7,8-tetrachlorodibenzo-p-dioxin in mammalian liver microsomal systems and in living mice. Arch. Environ. Contam. Toxicol. 1:122-132.
213. Vos, J.G. and J.A. Moore. 1974. Suppression of cellular immunity in rats and mice by maternal treatment with 2,4,7,8-tetrachlorodibenzo-p-dioxin. Int. Arch. Allergy Appl. Immunol. 47:777-794. Pestic. Abstr. 9(5):350, 1976. Pestic. Abstr. 9(2):108, 1976.
214. Vos, J.G., J.A. Moore and J.G. Zinkl. 1974. Toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in C57B1/6 mice. Toxicol. Appl. Pharmacol. 29:229-241.
215. Walker, E.M., Jr., R.H. Gadsden, L.M. Atkins and G.R. Gale. 1972. Some effects of 2,4-D and 2,4,5-T on Ehrlich ascites tumor cells in vivo and in vitro. Ind. Med. 41(1):22-27.

216. Weissberg, J.G. and J.G. Zinkl. 1973. Effects of 2,3,7,8-tetra-chlorodibenzo-p-dioxin upon hemostasis and hematologic function in the rat. Environ. Health Perspect. 5:119-123.
217. World Health Organization. 1971. 1970 Evaluations on some pesticide residues in food. The Monographs. WHO/Food Add./71.72, pp 459-477.
218. World Health Organization. 1971. Pesticide residues in food. Report of the 1970 Joint FAO/WHO Meeting. Wld. Hlth. Org. Techn. Rep. Ser. No. 474. FAO Agric. Studies No. 87. 45 p.
219. Wilson, J.G. 1971. Report of the Advisory Committee on 2,4,5-T to the Administrator of the Environmental Protection Agency. Submitted, May 7, 1971. 76 p.
220. Wilson, J.G. 1972. Teratological potential of 2,4,5-T. Proc. South. Weed Sci. Soc. 25:26-30.
221. Wilson, J.G. 1973. Editorial. Mechanisms of teratogenesis. Am. J. Anat. 136:129-132.
222. Wilson, J.G. 1977. Environmental chemicals. P. 357-386. In Handbook of Teratology. J.G. Wilson and F.C. Fraser (Eds). Vol 2. Plenum Press, New York NY.
223. Wilson, J.G. 1977. Teratogenic effects of environmental chemicals. Fed. Proc. 36(5):1698-1703.

224. Yasuda, M. and H. Maeda. 1972. Teratogenic effects of 4-chloro-2-methylphenoxyacetic acid ethylester (MCPEE) in rats. *Toxicol. Appl. Pharmacol.* 23(2):326-333.
225. Young, A.L. 1974. Ecological studies on a herbicide-equipment test area (TA C-52A), Eglin AFB Reservation, Florida. Technical Report AFATL-TR-74-12. Environics and Flame Munitions Branch; Flame, Incendiary and Explosives Division, Air Force Armament Laboratory, Eglin Air Force Base, Florida. 32540. 141 p.
226. Young, A.L., J.A. Calcagni, C.E. Thalken, J.W. Tremblay. 1978. The Toxicology, environmental fate, and human risk of herbicide orange and its associated dioxin. Technical Report OEHL TR-78-92. USAF Occupational and Environmental Health Laboratory, Aerospace Medical Division (AFSC), Brooks Air Force Base, Texas 78235. 247 p.
227. Young, A.L., C.E. Thalken, E.L. Arnold, J.M. Cupello and L.G. Cockerham. 1976. Fate of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in the environment: Summary and decontamination recommendations. USAFA-TR-76-18. Department of Chemistry and Biological Sciences, USAF Academy, Colorado 80840. 41 p.
228. Young, A.L., C.E. Thalken and W.E. Ward. 1975. Studies of the ecological impact of repetitive aerial applications of herbicides on the ecosystem of test area C-52A, Eglin AFB, Florida. Technical Report AFATL-TR-75-142. Department of Chemistry and Biological Sciences, U.S. Air Force Academy, Colorado 80840. 127 p.

229. Zetterberg, G. 1977. Experimental results of phenoxy acids on microorganisms. In Ramel, C., ed., Chlorinated Phenoxy Acids and their Dioxins: Mode of Action, Health Risks and Environmental Effects. (Stockholm), Ecol. Bull., 27 (in press).
230. Zielinski, W.L., Jr. and L. Fishbein. 1967. Gas chromatographic measurement of disappearance rates of 2,4-D and 2,4,5-T acids and 2,4-D esters in mice. J. Agric. Food Chem. 15:841-844.
231. Zinkl, J.G., J.G. Vos, J.A. Moore and B.N. Gupta. 1973. Hematologic and clinical chemistry effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin in laboratory animals. Environ. Health Perspect. 5:111-118.