



Uploaded to VFC Website

▶▶▶▶ **March 2013** ◀◀◀◀

This Document has been provided to you courtesy of Veterans-For-Change!

Feel free to pass to any veteran who might be able to use this information!

For thousands more files like this and hundreds of links to useful information, and hundreds of "Frequently Asked Questions, please go to:

[Veterans-For-Change](http://www.veteransforchange.org)

*Veterans-For-Change is a 501(c)(3) Non-Profit Corporation
Tax ID #27-3820181*

If Veteran's don't help Veteran's, who will?

We appreciate all donations to continue to provide information and services to Veterans and their families.

https://www.paypal.com/cgi-bin/webscr?cmd=_s-xclick&hosted_button_id=WGT2M5UTB9A78

Note:

VFC is not liable for source information in this document, it is merely provided as a courtesy to our members.



Dance/Movement Therapy & Parkinson's Disease



"The use of movement benefits persons with Parkinson's disease doubly, as "dancing" - an expressive and rhythmic sequencing of motions to music - seems to organize movements, calm dystonia and improve gait and balance."

Dance/movement therapy (DMT) provides a safe and supportive psychological structure for people with Parkinson's disease to express feelings about their disease and their lives: frustrations, joys, anger and laughter. The use of movement as the primary means of communication benefits persons with Parkinson's disease doubly, as "dancing" - an expressive and rhythmic sequencing of motions to music - seems to organize movements, calm dystonia and improve gait and balance.

Psychosocially, the person with Parkinson's benefits from the opportunity within the DMT group to express emotions and connect with others experiencing similar symptoms. Physically, the rhythmic, expressive group movement seems to ameliorate the abnormal postures, spasms and twisting movements of body parts and improves balance, lessening the potential for injurious falls.

Initially acknowledged anecdotally in the research literature of the 1980s, the positive affects of dancing on the physical symptoms of Parkinson's disease have been receiving increasing attention in recent years and latest research supports the inclusion of DMT as an adjunctive therapy.

DMT with individuals with Parkinson's disease is conducted in hospitals, clinics and support groups.

Dance/Movement Therapy & Parkinson's Disease

"Dance/movement therapy is the psycho-therapeutic use of movement which furthers the emotional, cognitive, physical and social integration of the individual."

-American Dance Therapy Association

Pratt, R. R. (2004). Art, dance, and music therapy. *Physical Medicine and Rehabilitation Clinics of North America*, 15, 827-841

Berrol, C., Ooi, W. L., & Katz, S. (1997). Dance/movement therapy with older adults who have sustained neurological insult: A demonstration project. *American Journal of Dance Therapy*, 19(2), 135-160.

Goodill, S. W. (2005). *An introduction to medical dance/movement therapy*. London & Philadelphia: Jessica Kingsley Publishers

Fallik, D. (2007). Finding new life through movement: Focus on dance therapy. *Neurology Now*, 3(1), 30-33.

Fallik, D. (2007). Why exercise helps people with movement disorders. *Neurology Now*, 3(1), 34.

Flanagan, C. (2004). Creative arts therapy in the rehabilitation of chronic pain; movement and metaphor -- reflections by clients and therapist: an experiential study. *Nordisk Fysioterapi*, 8(3), 120-131.

Hackney, M., Kantorovich, S., & Earhart, G. (2007). A Study on the Effects of Argentine Tango as a Form of Partnered Dance for those with Parkinson Disease and the Healthy Elderly. *American Journal of Dance Therapy*, 29(2), 109-127.

Kudlacek, S., Pietschmann, F., Bernecker, P., Resch, H., & Willvonseder, R. (1997). The impact of a senior dancing program on spinal and peripheral bone mass. *American Journal of Physical Medicine & Rehabilitation*, 76(6), 477-481

Molho, E., Factor, S., Podskalny, G., & Brown, D. (1996). The effect of dancing on dystonia. *Movement Disorders*, 11(2), 225-227.

Quinn, P. (2007). Moving through Parkinson's: When her body rebelled, one dancer fought back. *Dance Magazine*, 81(12), 76.

Thacker, E., Chen, H., Patel, A., McCullough, M., Calle, E., Thun, M., et al. (2008). Recreational physical activity and risk of Parkinson's disease. *Movement Disorders*, 23(1), 69-74.

Westbrook, B., & McKibben, H. (1989). Dance/movement therapy with groups of outpatients with Parkinson's disease. *American Journal of Dance Therapy*, 11(1), 27-38.

*****For additional DMT & Parkinson's Disease please visit www.adta.org***