

Uploaded to VFC Website

~ October 2012 ~

This Document has been provided to you courtesy of Veterans-For-Change!

Feel free to pass to any veteran who might be able to use this information!

For thousands more files like this and hundreds of links to useful information, and hundreds of "Frequently Asked Questions, please go to:

Veterans-For-Change

Veterans-For-Change is a 501(c)(3) Non-Profit Corporation Tax ID #27-3820181

If Veteran's don't help Veteran's, who will?

We appreciate all donations to continue to provide information and services to Veterans and their families.

https://www.paypal.com/cgi-bin/webscr?cmd= s-xclick&hosted button id=WGT2M5UTB9A78

Note:

VFC is not liable for source information in this document, it is merely provided as a courtesy to our members.

Item ib Number	01634
Author	
Corporate Author	
Report/Article Title	Typescript: TCDD in Veterans Adipose Tissue, January 26, 1981
Journal/Book Title	
Year	0000
Moath/Bay	
Color	П
Number of Images	8
Descripton Notes	

TCDD IN VETERANS ADIPOSE TISSUE

Results of Initial _b / Analyses by UN	Samples With Detectable TCDD Re Gross <u>b</u> /	Analyses by RTP of $_{ m D}/$ Extracts from UN $_{ m D}/$	Results of Analyses by RTP of Samples Extracted at TAC <a>C	Results of Analyses by RTP of Additional Samples Extracted at $TAC^{9/4}$	Results of Analyses by UN of Samples Newlyh/Extracted at UN
•					
12(2),16(4) 35(9),23(4)	Х	36(3.0)	229 (15) <u>f</u> /	8 ¢ (6)	
ná (15), ná (3)				20 (9)	nd(29)
63(6),99(10)	x		173 (2)		
<u>'5</u>	• •			•	
5(2)	X		<u> </u>	24(2)	
4(1)5/	······································	3(1.0)	10(1)		·
6 (2)	x	******		-	
sure		•			
5(3)5/					· · · · · · · · · · · · · · · · · · ·
5 (3) ^C		3(0.6)	5 (1)		
nd(12),nd(3), nd(4)		3(1.0)	160 (18) [£] /	nd (7)	
3(2)	x				
9 (3)	x				
4 (3)	x₫/		-		· — · · —
nd(4),nd(8)					-
5(4),5(3)	x				
12(4),10(3)	x				
nd(11),nd(6)					
	12(2),16(4) 35(9),23(4) nd(15),nd(3) 63(6),99(10) 5 5(2) 4(1)C/ 6(2) sure 5(3)C/ nd(12),nd(3), nd(4) 3(2) 9(3) 4(3) nd(4),nd(8) 5(4),5(3) 12(4),10(3)	12(2),16(4) 35(9),23(4) nd(15),nd(3) 63(6),99(10) 5 5(2) 4(1)C/ 6(2) x 4(1)C/ 5(3)C/ nd(12),nd(3), nd(4) 3(2) x 4(3) x 4(3) x 4(4),nd(8) 5(4),5(3) x 12(4),10(3) x	12(2),16(4) 35(9),23(4) X 36(3.0) 12(2),16(4) 35(9),23(4) X 36(3.0) 12(1),16(3) 13(1),16(3) 13(1),16(3) 14(1)	12(2),16(4) 35(9),23(4) X 36(3.0) 229(15) £/ nd (15),nd (3) 63(6),99(10) X 173(2) 5(2) X 4(1) £/ 5(3) £/ 5(3) £/ 5(3) £/ 5(3) £/ 5(3) £/ 3(1.0) 10(1) 6(2) X sure 5(3) £/ 5(3) £/ 3(1.0) 160(18) £/ 3(2) X 9(3) X 4(3) X £/ nd (4),nd (8) 5(4),5(3) X 12(4),10(3) X	12(2),16(4) 16(15), nd(3) 173(2) 16(12), nd(3) 173(2) 16(12), nd(3), nd(4), nd(4), nd(4) 12(12), nd(8) 12(14),

nd(6),13(5)

9(4),nd(3)

X

29

30

	TCDD IN VE	TERANS A	DIPOSE TISS	UE (CONTINUE	<u>.</u>	
V.A. Subject No.8/	Results of Initial $\underline{b}_{/}$ Analyses by UN	Samples With Detectable TCDD Re Gross $^{ m L}/$	Analyses by RTP of $_{ m E}$ /Extracts from UN $_{ m E}$ /	Results of Analyses by RTP of Samples Extracted at TAC =/	Results of Analyses by RTP of Additional Samples Extracted at TACS	Results of Analyses by UN of Samples Newly, Extracted at UN
"Lightly Exposed Veterans"	·					
1	nd(11),nd(5)				·	
13	nd(2),nd(2)		nd(0.2)	nd (7)		-
15	7(4)	×			18 (2)	
28	8(6),7(5)	X				
34	4(4),5(3)	х			nā (5)	
No Exposure		•				
5	9(5),4(4) ^c /					
7	3(2)5/	æ				-
17	3(3),4(3)	x <u>₫</u> /		20(9)	14(2)	
18	nd (4)		5(0.8)	8 (2)		
20	5 (4)	x			19(1)	20 (NA)
. 21	6 (3) ^c /		3(0.7)	12(1)	46 (5)	9 (NA)
23	6(3),8(2)	x.				

nd(3)

4(2),7(4)5/

nd(5),4(4)

7(6),14(7)\$/

<u>x₫</u>/

31

32

33

FOOTNOTES

- a/ Subject numbers correspond to listings contained in Ex. 563. The Veterans Administration there established the exposure classifications of the studied veterans as reflected in this column.
- b/ Reported in Ex. 562 (February 13, 1980). Samples reported in these columns were extracted at the University of Nebraska. All data are reported as: ppt TCDD (detection limit).
- Considered as not detected (nd) by Gross due to improper isotope ratios in validation runs. Ex. 562.
- Reported signals were between 2.5 and 3.0 times the noise level. Ex. 562.
- e/ Reported by Harless in Ex. 1204 (February 20, 1980).
- f/ Considered by Gross to be the result of sample contamination. Ex, 930 at 13.
- g/ Reported by Harless in Ex. 932 (September 18, 1980).
- h/ Reported by Gross in rebuttal testimony, Ex. 930 (January 13, 1981). In 2 out of the 3 analyses, no detection limits or other data are given.

January 26, 1980 Adm

REVISED

USFS BLODGETT FOREST DEER STUDY SUMMARY
(New Analyses Indicated by * -- As Reported in Exs. 930 & 931)

		•			
e ber TROL	Sample Description	UN Results (All Except "*" Taken From Ex. 227) PPT (D.L.)	RTP Results (Taken From Ex. 1340) PPT (D.L.)	Characterization by Gross (Ex.930)	Shipment Number (UN/RTP)
•	Adipose	nd (2)2/ *nd (2) *nd (4)	5 (2) ₅ / 5 (1) <u>5</u> /	Anal. discrepancy 6/ (and false positive)	FS-15/DFS-27
	Muscle	nd (1)	nd (.6)3/	. €	FS-1 ¹ /DFS-14
	Liver	nd (2) *nd (4)	2 (1) 4 (.4) ⁵ /	Possible positive 7/	FS-39/DFS-31
.	Adipose	nd (.9)	3 (2) nd(3)5/	Anal. discrepancy	FS-16/DFS-26
	Muscle	nd (2) nd (.8)	nd (3)		FS-2/DFS-13
·	Liver	nd (2)	nd (1)		FS-38/DFS-32
	Bone Marrow	nd (5)	nd (1)		FS-43/DFS-48
YS					
	Muscle	nd (.9) *nd (8)	nd (5)		FS-5/DFS-10
	Liver	nd (2)	nd (2)		FS-32/DFS-38
	Adipose	2 (2)	nd (2)3/ nd (1)5/	Possible positive	FS-19/DFS-23
	Muscle	nd (1)	nd (3)		FS-6/DFS-9
	Liver	nd (5)	nd (4)	·	FS-37/DFS-33
	Adipose	nd $(3)^{\frac{2}{2}}$	3 (2) nd (5) 5/	Possible positive	FS-21/DFS-21
	Muscle	nd $(1)^{2/}$	nd (5)		FS-9/DFS-6
	Liver	nd (2) *3 (3) *3 (2) *nd (6)	5 (2)3/ 8 (1)5/	Anal. discrepancy	FS-30/DFS-40
	چىلىنىڭ ئالىرى بىلىدىن ئىلىدىن ئىلىدىن ئىلىدىن ئىلىدىن ئالىرىنى ئالىرىنى ئالىرىنى ئالىرىنى ئالىرىنى ئالىرىنى ئ خ	*nd (0)		والمراورة	

1 f.

<u>er</u> Eks	Sample Description	UN Results (All Except "*" Taken From Ex. 227) PPT (D.L.)	RTP Results (Taken From Ex. 1340) PPT (D.L.)	Characterization by Gross (Ex.930)	Shipment Number (UN/RTP)
	Adipose	nd (1)2/	5 (2)	Possible positive	FS-17/DFS-25
	Muscle	1.6 (1) *9 (6)	12 (4)	Positive	FS-4/DFS-11
	Liver	nd (3)	nd (1)		FS-33/DFS-37
-	Adipose	nd (1) *nd (8) *nd (3)4/ *nd (4)	7 (3) 15 (2) <u>5</u> /	Anal. discrepancy (and false positive) -(and possible positive)	FS-25/DFS-17
	Muscle	nd (.2)	nd $(.5)^{3/}$	•	FS-12/DFS-3
	Liver	nd (2)	nd (1)		FS-35/DFS-35
	Bone Marrow	nd (3)	nd (1)	·	FS-48/DFS-43
	Adipose	nd (1) ^{2/} *nd (6)	4 (3)4/	Possible positive	FS-26/DFS-16
	Muscle	*nd (3) nd (.6)	nd (1)	,	FS-13/DFS-2
	Liver	nd (2)	nd (2)	·	FS-28/DFS-42
IS .					
	Adipose	2.9 (1)	12 (1)	Positive	FS-20/DFS-22
	Muscle	3.4 (1) *14 (10)	24 (4) ³ /	Positive	FS-8/DFS-7
	Liver	2.5 (1)	3 (2)	Positive	FS-31/DFS-39
	Bone Marrow	nd $(2)^{2/2}$	nd (1)		FS-44/DFS-47
	Adipose	nd (1) ^{2/} *nd (6)	10 (1)	Possible positive (and anal. discre- pancy)	FS-22/DFS-20
	Muscle	nd $(.5)^{2/}$	nd (4)	· Pomer,	FS-10/DFS-5
	Liver	2.1 (1) *nd (6) *3 (2)	nd $(2)\frac{3/}{5/}$ 4 $(.7)\frac{5}{2}$	Possible positive	FS-34/DFS-36
ang with goodle to go	Bone Marrow	And (4) . nd (7)	nd (3) ^{3/}		

		· ·			
ber	Sample Description	UN Results (All Except "*" Taken From Ex. 227) PPT (D.L.)	RTP Results (Taken From Ex. 1340) PPT (D.L.)	Characterization by Gross (Ex.930)	Shipment Number (UN/RTP)
EEKS	(Con't)	•		•	
1.	Adipose	2.2 (1) *3 (3) <u>4/</u> *2 (1)	nd $(3)\frac{3}{5}$ / nd $(1)\frac{5}{5}$ /	Possible positive	FS-24/DFS-18
	Muscle	4.6 (.7) *19 (6)	27 (2)	Positive	FS-11/DFS-4
•	Liver	3 (3)	2 (.4)	Positive	FS-42/DFS-28
	Bone Marrow	nd (7)	nd (3)	₩	FS-47/DFS-44

ريا.	Sample Description	UN Results (All Except "*" Taken From Ex. 227) PPT (D.L.)	(Ta	P Results ken From . 1340) T (D.L.)	Characterization by Gross (Ex.930)	Shipment Number (UN/RTP)
ty ols	Muscle	3.3 (1) *16 (7) (Fortified w/ 15 ppt)	15	(3)		FS-3/DFS-12
	Muscle	7.4 (.8) *28 (6) (Fortified w/ 30 ppt)	35	(3)		FS-7 ¹ /DFS-8
	Adipose	12 (2) *34 (7) (Fortified w/ 43 ppt)	44	(3)	4 -	FS-18 ¹ /DFS-24
	Adipose	4.9 (1) *17 (10) (Fortified w/ 16 ppt)	19	(3)		FS-23 ¹ /DFS-19
-	Liver	14 (.8) (Fortified w/ 48 ppt)	60	(3) ^{<u>3</u>/}		FS-29 ¹ /DFS-41
	Liver	4.5 (2) (Fortified w/ 14 ppt)	20	(1)		FS-36 ¹ /DFS-34
	Method Check	nd (.4) *nd (2)	nđ	(2)		FS-14 ¹ /DFS-1
	Method Check	nd (1)	nd	(2) 3 /		FS-41 ¹ /DFS-29
	Standard Sol'n	3.6 (.7) (Fortified w/ 10 ppt)	16	(3)		FS-27 ¹ /DFS-15
	Standard Sol'n	7.8 (2) (Fortified w/ 28 ppt	18	(4)		FS-40 ¹ /DFS-30
	Standard Sol'n	3.9 (3) (Fortified w/ 7 ppt)	12	(2)		FS-45 ¹ /DFS-46

- 1/ Samples shipped from Dow to RTP (March 17, 1980) for TCDD analysis as agreed by Dellarco, Graham & Ross (March 26, 1980).
- 2/ These results are not detected according to Gross although he reported the following values: FS-15 2(2); FS-17 1.9(1); FS-21 3(3); FS-22 1.6(1); FS-26 2.3(1); FS-44 2(2). See Ex. 227.
- 3/ As reported in Memorandum from Robert Harless to Mike Dellarco (May 12, 1980) (Ex. 564-A, Attachment B).
- 4/ Below 50% recovery.
- 5/ Extracts reanalyzed by RTP for confirmation of previous positive and/or ND results. These results have been characterized as "qualitative confirmation analyses." Memorandum from Gobert Harless to Mike Dellarco (August 14, 1980). Ex. 1340.
- 6/ Gross defines "analytical discrepancies" as a situation where "the capabilities of the second laboratory were adequate to verify detection (i.e., their detection limit was lower than the level found by other workers), but TCDD was not detected." Ex. 930 at 6.
- 7/ Gross defines a "possible positive" as a result where "TCDD was detected in one of the laboratories but not in the other because the detection limit in that laboratory was omparable or higher than the level determined by the first laboratory." (Emphasis in original.) Ex. 930 at 4.